

Replacement Parts

Specifications and technical data are subject to change without notice.

Numbers listed in () parentheses are metric equivalents in millimeters rounded to the nearest whole number.


Suggested fasteners are not included and must be ordered separately.

Illustrations are not to scale.


Contents

Product History.....	2
Part Identification - Operator (XX).....	3
Part Identification - Operator (XO/OX, XOX)	4
Part Identification - Picture	5
Part Identification - Operator (OXXO)	6
Locking Hardware	7
Handle	9
Miscellaneous Parts	10
Fasteners.....	12
Lock Status Sensor.....	13
WOCD Field Applied and Replacement Kits	14
Aluminum Parts	16
Vinyl Parts.....	17
Wood Parts.....	20
Weather Strip	21
Sash Replacement - Configured Parts in OMS	24
Screen Replacement.....	25
Screen Parts	26
Screen Parts - Discontinued No Availability (NA).....	27
Combination Parts.....	28

Produced	Unit Type	Features and Changes
2011	Ultimate Glider	02/28/ 2011: Ultimate Glider introduced with XO, OX, XX and XOX, O (picture unit) configurations. LoE-272, one lite glazing, jamb depth is 4 9/16", available in all 19 standard and select colors. Satin Taupe lock handle as standard. 04/25/2011: Added LoE-180 as a standard option for all products. White painted interior finish option introduced for all products.
2012	Ultimate Glider	10/29/2012: Interior Square Sticking/Glazing Bead option introduced. 12/17/2012: Introduced clear interior finish option on all products.
2013	Ultimate Glider	04/29/2013: Introduced interior stain options. Stain colors are Wheat, Honey, Leather, Hazelnut, Cabernet and Espresso.
2014	Ultimate Glider	10/27/2014: Introduced Window Opening Control Device (WOCD).
2015	Ultimate Glider	02/23/2015: Introduced factory installed and replacement kits for the head jamb mount sash limiters.
2016	Ultimate Glider	04/25/2016: Introduced the Ultimate Glider OXXO Configuration. 06/27/2016: Introduced matte Black as a standard hardware color.
2017	Ultimate Glider	12/18/2017: Introduced the Lock Status Sensor.
2018	Ultimate Glider	08/27/2018: WOCD components removed for compliance with I-codes ASTM E2090.
2020	Ultimate Glider	04/27/2020: Added WOCD field applied and replacement kits (see Product Bulletin 758).
2021	Ultimate Glider	10/25/2021: Standard screen mesh changed to Marvin Bright View™. For more information see Product Bulletin 793.
2022	Ultimate Glider	06/27/2022: The Aluminum Screen will be the standard for units with a frame size height of $\leq 54 \frac{1}{2}$", with an option of the Extruded Aluminum Screen available. The standard screen for any unit with a frame size height >54 1/2" will be the Extruded Aluminum Screen. This improvement to screen frames includes all Ultimate and Ultimate Wood windows that accept an aluminum screen, including Round Top and Polygon shapes. See Product Bulletin 832 for more details.
2024	Ultimate Glider	06/24/2024 Update for Ultimate Combinations and Ultimate Wood Combinations and Energy Panels were made. See Product Bulletin #937 for more Information.




Head Jamb and Sill Detail




Jamb Detail


1. Head Jamb Nail Fin Drip Cap, V119
2. Head Jamb
3. Jamb Cladding
4. Head Jamb, Stop, W12989
5. Header Liner, V1969
6. Sash Weather Strip Contact Strip, V943
7. Sash Retainer Bar, V2048
8. Rail Cladding
9. Top Rail
10. Sash Cladding Clip
11. Insulating Glass
12. Rail Cladding
13. Bottom Rail
14. Glide Channel, V2009
15. Interior Sill Cover, V2038
16. Interior Sill Track, V2039
17. Exterior Screen Track, A2072
18. Sill Cladding
19. Sill Nailing Fin, V104
20. Sill
21. Sill Track Base
22. Frame Weather strip, V147
23. Cladding Cover, A1929
24. Screen Mesh
25. Screen Frame
26. Sill Liner, W2531
27. Exterior Sill Track, V2041
28. Stile
29. Primary Meeting Stile
30. Jamb Liner, W2533
31. Jamb Liner w Interior Stop, W10917
32. Interior Jamb Cover, W10752
33. Primary Sash Interlock, V2393
34. Vinyl Jamb Liner, V2040
35. Secondary Meeting Stile
36. Jamb
37. Stile Cladding
38. Primary Meeting Stile Cladding
39. Jamb Nailing Fin, V104
40. Frame Cover, A2013
41. Secondary Sash Interlock, V2388
42. Sec. Meeting Stile Cladding




**Head Jamb and Sill Detail
XO/OX**



**Head Jamb and Sill Detail
XOX**




Jamb Detail, XO/OX




Jamb Detail, XOX

1. Head Jamb Nailing Fin/Drip Cap, V119
2. Head Jamb
3. Jamb Cladding
4. Head Jamb Stop, W12989
5. Header Liner, V1969
6. Sash Weather Strip Contact Strip, V943
7. Sash Retainer Bar, V2048
8. Rail Cladding
9. Top Rail
10. Sash Cladding Clip
11. Insulating Glass
12. Rail Cladding
13. Bottom Rail
14. Glide Channel, V2009
15. Interior Sill Cover, V2038
16. Interior Sill Track, V2039
17. Exterior Screen Track, A2068
18. Sill Cladding
19. Sill Nailing Fin, V104
20. Sill
21. Sill Track Base
22. Frame Weather Strip, V147
23. Cladding Cover, A2013
24. Screen Mesh
25. Screen Frame
26. Connecting Barb, V803
27. Sill Cover, A2008
28. Sill Liner, W2531
29. Exterior Sill Track, V2041
30. Stile
31. Cladding Connector
32. Primary Mtg Stile
33. Jamb Liner, W2533
34. Jamb Liner w/Interior Stop, W10917
35. Interior Jamb Cover, W10752
36. Primary Sash Interlock, V2393
37. Vinyl Jamb Liner, V2040
38. Secondary Mtg Stile
39. Jamb
40. Stile Cladding
41. Primary Mtg Stile Cladding
42. Jamb Nailing Fin, V104
43. Frame Cover, A2013
44. Secondary Sash Interlock, V2388
45. Secondary Mtg stile Cladding
46. Screen Bulb Weather Strip, V113




Head Jamb and Sill


- | | |
|--|----------------------------------|
| 1. Head Jamb Nailing Fin/Drip Cap, V119 | 17. Interior Sill Track, V2039 |
| 2. Head Jamb | 18. Exterior Screen Track, A2068 |
| 3. Jamb Cladding | 19. Sill Liner, W2531 |
| 4. Head Jamb Stop, W11042 | 20. Sill Cladding |
| 5. Header Liner, V1969 | 21. Sill Nailing Fin, V104 |
| 6. Foam Tape | 22. Exterior Sill Track, V2041 |
| 7. Rail Cladding | 23. Sill |
| 8. Top Rail | 24. Sill Track Base |
| 9. Sash Cladding Clip | 25. Jamb Liner, W2533 |
| 10. Insulating Glass | 26. Interior Jamb Cover, W10752 |
| 11. Rail Cladding | 27. Stile |
| 12. Bottom Rail | 28. Vinyl Jamb Liner, V2040 |
| 13. Sash Weather Strip Contact Strip, V943 | 29. Jamb |
| 14. Glide Channel, V2009 | 30. Jamb Nailing Fin |
| 15. Weather Strip, V147 | 31. Stile Cladding |
| 16. Sill Filler, W8591 | |



Jamb



Head Jamb and Sill



Jamb Detail


- | | | |
|---|------------------------------------|--|
| 1. Head Jamb Nailing Fin/Drip Cap, V119 | 17. Exterior Screen Track, A2068 | 33. Vinyl Jamb Liner, V2040 |
| 2. Head Jamb | 18. Sill Cladding | 34. Secondary Meeting Stile |
| 3. Jamb/Head Jamb Cladding | 19. Sill Nailing Fin, V104 | 35. Jamb |
| 4. Head Jamb Stop, W12989 | 20. Sill | 36. Stile Cladding |
| 5. Header Liner, V1969 | 21. Sill Track Base | 37. Primary Meeting Stile Cladding |
| 6. Sash Weather Strip Contact Strip, V943 | 22. Vinyl Bulb Weather Strip, V147 | 38. Jamb Nailing Fin, V104 |
| 7. Sash Retainer Bar, V2048 | 23. Frame Cover, A2013 | 39. Sill Cover, A2008 |
| 8. Rail Cladding | 24. Screen Mesh | 40. Secondary Sash Interlock, V2388 |
| 9. Top Rail | 25. Screen Frame | 41. Secondary Meeting Stile Cladding |
| 10. Sash Cladding Clip, V946 | 26. Sill Liner, W2531 | 42. Interior Astragal, W12643 |
| 11. Insulating Glass | 27. Exterior Sill Track, V2041 | 43. Exterior Astragal, A2997 |
| 12. Bottom Rail Cladding | 28. Stile | 44. Active Mtg Stile Weather Strip, V1935 |
| 13. Bottom Rail | 29. Primary Meeting Stile | 45. Primary Meeting Stile Cladding Connector |
| 14. Glide Channel, V2009 | 30. Jamb Liner, W2533 | 46. Sash Cladding Clip w/ Glazing Leg |
| 15. Interior Sill Cover, V2038 | 31. Interior Jamb Cover, W10752 | 47. Screen Weather Strip, V113 |
| 16. Interior Sill Track, V2039 | 32. Primary Sash Interlock, V2393 | |

Lock Handle Assembly

Includes:

#8-18 x 5/8" Pan Head screws (11800821)

Color	LH-XO PN	RH-OX PN
Satin Taupe	10816160	10816170
Bronze	10816161	10816171
Stone White	10816162	10816172
Brass	10816163	10816173
Antique Brass	10816164	10816174
Polished Chrome	10816165	10816175
Satin Chrome	10816166	10816176
Oil Rubbed Bronze	10816167	10816177
Satin Nickel	10816168	10816178
Matte Black	10816169	10816179




Keeper

Includes:

2 - #8-18 x 5/8" Pan Head screws (11800821)

Color	PN
Beige	10816185
White	10816184




Latch Assembly

Includes:


2 - #8-18 x 5/8" Pan Head screws (11800821)

Color	XO PN	OX PN
Beige	10816196	10816198
White	10816197	10816199




Sash Retainer Bar Handle

Color	PN
Beige	10813422



Lock Cable

Frame OM Height	Cord Length	PN
Handle to Latch		
All Unit Sizes	3.824" (97)	10810016
Latch to Latch		
29.500–47.499"	7.591" (193)	10810017
47.500–65.499"	20.591" (523)	10810018
65.500" and greater	32.591" (828)	10810019




Retainer Bar Latch

Includes:


1 - #8-18 x 3/4" AB, Phillips, truss head, full thread screw (11808340)

Color	PN
Beige	10500849



Secondary Sash Pull Handle Kit

Color	PN
Satin Taupe	11851700
Bronze	11851701
Stone White	11851702
Brass	11851703
Antique Brass	11851704
Polished Chrome	11851705
Satin Chrome	11851706
Oil Rubbed Bronze	11851707
Satin Nickel	11851708
Matte Black	11851709




Sash Limiter Kit, Head Jamb Mount

Includes:

2 - #8-18 x 1" Phillips pan head stainless steel screws (11805150)

NOTE: XO, OX, XX units require 1 limiter per window. XOX, OXXO units require 2 limiters per window.

Color	PN
Beige	10500458
White	10500459




Sill Bracket

Includes:


2 - #8-18 x 1" screws (11800551)

Color	PN
Stainless Steel	11861171



Sill Corner Weep Block

Color	LH PN	RH PN
White	11867814	11867816
Beige	11867816	11867815




Sash Retainer Bar Clip

Includes:

1 - #8-18 x 3/4" Phillips truss head screw (11808340)

Color	PN
Stainless Steel	11860432




Stationary Bracket

Includes:

3 - #7-19 x 3/4" screws (11808750)

Color	PN
Galvanized Steel	11860431




Sash Peg

Includes:


1 - #8 x 1 1/4" Pan head screw (11807145)

Color	PN
Black	11860284



Top Astragal Plug - OXXO

Color	PN
Beige	11869857




Sill End Plug

Includes:


1 - #8 x 1 1/2" Phillips, flat head screw (11881129)

Color	PN
Natural	10500536




Bottom Astragal Plug, OXXO

Color	PN
Beige	11869858




#8 x 1 1/2" Phillips Truss Head Screw

Color	PN
Stainless Steel	11808155




#8 x 1 1/2" Phillips Flat Head Screw

Color	PN
White	11805169
Cashmere	11805182



Transmitter Cover Box

Color	PN
Black	10501832



#7-19 x 3/4" Type AB, Full Thread


Used for Transmitter Cover Box. Quantity of 2 for each cover.

PN
11808750



Reed Capsule


Color	PN
Black	10501846



Latch Assembly with Magnet

NOTE: Used with Lock Status Sensor

Color	XO PN	OX PN
Beige	10816487	10816488
White	10816489	10816490



WOCD Field Applied and Replacement Kit Primary Sash

Includes:

- 1 – WOCD assembly
- 2 – #8 x 1 Phillips flat head screw, full thread
- 1 – WOCD safety information
- 1 – WOCD field applied instructions
- 1 – WOCD hang tag

Color	PN
Satin Taupe	11850651
White	11850652
Bronze	11850653
Brass	11850654
Antique Brass	11850655
Polished Chrome	11850656
Satin Chrome	11850657
Oil Rubbed Bronze	11850658
Satin Nickel	11850659
Matte Black	11850660




WOCD Field Applied and Replacement Kit Secondary Sash

Includes:

- 1 – WOCD bumper, stile
- 1 – #8 x 1", Phillips pan head screw, full thread, stainless steel, Type A
- 1 – WOCD safety information
- 1 – WOCD field applied instructions
- 1 – WOCD hang tag
- 1 – WOCD sticker

Color	PN
White	11850709
Beige	11850710




NOTE: For windows without factory-applied WOCD, refer to Product Bulletin 758 for more information.

WOCD Field Applied and Replacement Kit Complete

Includes:

- 1 – WOCD assembly
- 2 – #8 x 1", Phillips flat head screw, full thread
- 1 – WOCD safety Information
- 1 – WOCD field applied instructions
- 1 – WOCD hang tag
- 1 – WOCD sticker
- 1 – WOCD bumper, stile
- 1 – #8 x 1", Phillips pan head screw, full thread, stainless steel, Type A


Color	White	Beige
Satin Taupe	11850950	11850960
White	11850951	11850961
Bronze	11850952	11850962
Brass	11850953	11850963
Antique Brass	11850954	11850964
Polished Chrome	11850955	11850965
Satin Chrome	11850956	11850966
Oil Rubbed Bronze	11850957	11850967
Satin Nickel	11850958	11850968
Matte Black	11850959	11850969




NOTE: For windows without factory-applied WOCD, refer to Product Bulletin 758 for more information.

To order, specify:


1. Original order/line number;
2. call number or rough opening;
3. profile number;
4. length;
5. LH or RH operation (if applicable);
6. type of product;
7. finish.




Frame Clad Cover, A2013
XO, OX, XX, XOX, OXXO




Exterior Screen Track, A2068
XO, OX, XOX, OXXO, Picture




Exterior Screen Track, A2072
XX



Cladding Cover, A1929
XX



Sill Cover, A2008
XO, OX, XOX, OXXO




Exterior Astragal, A2997
OXXO

NOTE: The Interior Astragal (W12643) and the Exterior Astragal (A2997) will have to be ordered as a sub-assembly through the ETO process. Top and Bottom Astragal Plug and #8 x 1 1/2" Phillips truss head screws will need to be ordered separately if necessary.

Interior Sill Track

V2039

CN	Length	Beige PN	White PN
CN 3-0	32 21/32" (829)	15914230	15914231
CN 4-0	44 21/32" (1134)	15914240	15914241
CN 5-0	56 21/32" (1439)	15914250	15914251
CN 6-0	68 21/32" (1744)	15914260	15914261
Lineal	120" (3048)	15914298	15914299
Lineal	175" (4445)	15914297	15914296



Interior Sill Cover

V2038


CN	Length	Beige PN	White PN
CN 3-0	15 3/16" (386)	15354430	15354431
CN 4-0	21 3/16" (538)	15354440	15354441
CN 5-0	27 3/16" (690)	15354450	15354451
CN 6-0	33 3/16" (843)	15354460	15354461
Lineal	120" (3048)	15354498	15354499



Sash Retainer Bar

V2048


CN	Length	Beige PN
CN 3-0	13 3/4" (413)	15354630
CN 4-0	19 3/4" (502)	15354640
CN 5-0	25 3/4" (654)	15354650
CN 6-0	31 3/4" (806)	15354660
Lineal	76" (1930)	15354676



Contact Strip

V943


CN	Length	Beige PN
CN 5-0	56 1/4" (1429)	15359050
Lineal	100 1/2" (2553)	15351299



Connecting Barb

V803


Length	PN
Specify Length	15812999



Primary Sash Interlock

V2393


Length	Color	PN
76" (1930)	Beige	15355776
	White	15355777



Glide Channel

V2009


Length	Color	PN
4" (102)	Natural	15221201



Secondary Sash Interlock

V2388

CN	Length	Beige PN
CN 2-0	20 1/4" (514)	15355620
CN 3-0	32 1/4" (819)	15355630
CN 3-6	38 1/4" (971)	15355636
CN 4-0	44 1/4" (1124)	15355640
CN 5-0	56 1/4" (1429)	15355650
Lineal	76" (1930)	15355676




Exterior Sill Track XO, OX, XX

V2041

NOTE: Also order meeting stile seal assembly (10817203) when replacing sill track.

NOTE: Order by CN or RO of unit to receive correct fabrication.
Lineal length available by PN.

Length	Beige PN	White PN
120" (3048)	15914398	15914399
175" (4445)	15914396	15914397




Jamb Liner

V2040

NOTE: Also order foam hardware gasket (10500510) when jamb liner is replaced.


Call Number	Length	Beige PN	White PN
CN 2-0	20 1/16" (510)	15354220	15354221
CN 3-0	32 1/16" (814)	15354230	15354231
CN 3-6	38 1/16" (967)	15354236	15354237
CN 4-0	44 1/16" (1119)	15354240	15354241
CN 5-0	56 1/16" (1424)	15354250	15354251
Lineal	76" (1930)	15354276	15357277



Sash Stop

V784

Length	Operation	Beige PN	White PN
3/4"	XO/OX	10500882	10500881
1 3/4"	XOX (order qty 2)	10500524	10500523




To order, specify:


1. Original order/line number;
2. profile number;
3. length;
4. LH or RH operation (if applicable);
5. type of product;
6. finish.




Sill Liner, W2531
Max length: 168" (4267)




Jamb Liner, W2533
Max length: 78" (1981)




Jamb Liner with Interior Stop, W10917
Max length: 76" (1930)




Head Jamb Stop, W12989
XO, OX, XX, XOX, OXXO
Picture
Max length: 84" (2134)




Head Jamb Stop, W11042
Picture
Max length: 76" (1930)




Sill Filler, W8591
Picture
Max length: 120" (3048)



Interior Astragal, W12643
OXXO
Max length: 96" (2438)



Jamb Cover, W10752
XO, OX, XX, OXXO
Picture
Max length: 76" (1930)



Header Jamb to Sill Filler Horizontal Mullion, W7053
Max length: 102" (2591)

NOTE: The Interior Astragal (W12643) and the Exterior Astragal (A2997) will have to be ordered as a sub-assembly through the ETO process. Top and Bottom Astragal Plug and #8 x 1 1/2" Phillips truss head screws will need to be ordered separately, if necessary.

Frame Weather Strip


V147

Head/Sill Frame Weather Strip			
CN	Length	Beige PN	White PN
CN 3-0	17 1/4" (438)	15359730	15359630
CN 4-0	23 1/4" (591)	15359740	15359640
CN 5-0	29 1/4" (743)	15359750	15359650
CN 6-0	35 1/4" (895)	15359760	15359660

Frame Cover Weather Strip				
CN	Length	Beige PN	White PN	Black PN
CN 3-0	15 1/8" (384)	15360030	15359930	15360130
CN 4-0	21 1/8" (537)	15360040	15359940	15360140
CN 5-0	27 1/8" (689)	15360050	15359950	15360150
CN 6-0	33 1/8" (841)	15360060	15359960	15360160

Jamb Frame Weather Strip				
CN	Length	Beige PN	White PN	Black PN
CN 3-0	32 5/8" (829)	15359430	15359330	15359530
CN 3-6	38 5/8" (981)	15359436	15359336	15359536
CN 4-0	44 5/8" (1133)	15359440	15359340	15359540
CN 5-0	56 5/8" (1438)	15359450	15359350	15359550
Lineal*	150" (3810)	15351699	17002300	17002299

*To receive correct fabrication, order CN 6-0 by R.O. or length, 68 5/8".



Astragal Weather Strip, OXXO

V1935


Length	Beige PN	White PN	Black PN
100" (2540)	15357498	15357398	15357598



Clutch Pocket Plug

7/8" x 11/16" x 5/8"


Color	PN
White	10500504



Foam Tape

150' Roll


Color	PN
Gray	11406218



Header Dust Block


1 1/8" x 1 1/8" x 1/2"

Color	PN
Gray	11869828



Foam Hardware Gasket

Color	PN
Beige	10500510




Meeting Stile Sill Block, XOX/OXXO

Includes:

Fasteners (11808580)

NOTE: Order 1 sill dust block with a meeting stile sill block replacement.


Color	PN
Beige	11861172



Dust Block, XX Screen Sill

5/16" x 1 1/8"

Color	PN
Gray	11869854




Meeting Stile Seal Assembly, XO, OX, XX, O

Includes:

1 - Fastener (11808100)


Color	PN
Beige	10817203



Sill Dust Block

1 5/8" x 7/8" x 3/8"

Color	PN
Gray	11869823



Replacement sash are available - Configured Parts in OMS.

Screen Replacement

Aluminum screens are standard with color to match the exterior. Standard screen mesh is Marvin Bright View™. Aluminum mesh is available as an option in Charcoal, Black, Bright Aluminum, and Bright Bronze. XO/OX and XOX standard screens cover the active sash opening, XX screens cover the entire window opening as standard. Determine the outside measurement of the existing screen. Find the sizes that correspond to the width and height indicated on the following charts. Surrounds are available in all standard and select colors.

NOTE: The Aluminum Screen will be the standard for units with a frame size height of $\leq 54 \frac{1}{2}$ " , with an option of the Extruded Aluminum Screen available. The standard screen for any unit with a frame size height $> 54 \frac{1}{2}$ " will be the Extruded Aluminum Screen.

NOTE: Ultimate Glider screens are specific to the type of glider and handing (XO, OX, XXL, XXR). They are not interchangeable. To convert from an active screen on an XX glider to a full dual screen, both screens must be ordered independently.

To order, specify:

1. Size of the screen by using the conversion charts below or measure the existing unit. The daylight opening is the measurement of the visible glass.
2. Handing, XO, OX, XXL, XXR
3. Color
4. Mesh type (if other than standard).opening is the measurement of the visible glass.

Screen Sizes for Ultimate Glider 02–28–2011 to present

Daylight Opening to OM of Active Screen

Daylight Width (of primary sash) + $3 \frac{9}{32}$ " = OM Width of Screen

XX Primary Screen (in front of primary sash) Daylight Width of Primary Sash + $3 \frac{9}{32}$ " = OM Width of Primary Screen

XX Secondary Screen (in front of secondary sash) Daylight Width of Secondary Sash + $3 \frac{9}{32}$ " = OM Width of Secondary Screen

XO, OX, XOX, XX Daylight Height + $4 \frac{17}{32}$ " = OM Height of Screen

XO, OX, XOX Width		XX Primary Width		XX Secondary Width		XO, OX, XX, XOX Height	
Size	OM - Width	Size	OM - Height	Size	OM - Width	Size	OM - Height
3-0	16 9/16" (421)	30	16 9/16" (421)	3-0	17 7/32" (437)	2-0	21 1/4" (539)
3-6	19 9/16" (497)	36	19 9/16" (497)	3-6	20 7/32" (514)	2-6	27 1/4" (692)
4-0	22 9/16" (573)	40	22 9/16" (573)	4-0	23 7/32" (590)	3-0	33 1/4" (844)
4-6	25 9/16" (649)	46	25 9/16" (649)	4-6	26 7/32" (666)	3-6	39 1/4" (997)
5-0	28 9/16" (725)	50	28 9/16" (726)	5-0	29 7/32" (742)	4-0	45 1/4" (1149)
5-6	31 9/16" (802)	56	31 9/16" (802)	5-6	32 7/32" (818)	4-6	51 1/4" (1301)
6-0	34 9/16" (878)	60	34 9/16" (878)	6-0	35 7/32" (895)	5-0	57 1/4" (1454)
						5-6	63 1/4" (1606)
						6-0	69 1/4" (1759)


Screen Plunger Kit

Aluminum Screen

Includes:

- 1 - Plunger Bolt
- 1 - Plunger Spring
- 1 - Plunger Cap, Black

PN
11851053




Plunger and Spring Assembly, Extruded Screen

Includes:

- 1 - Plunger
- 1 - Plunger spring
- 1 - Plunger cap


PN
10500706



Screen Header Pin


Aluminum Screen

PN
10500876



Screen Glide


Color	PN
Black	11040341



Dust Block

OXXO configuration, active half screen

Length	Color	PN
Specify length	Gray	11869855



Screen Weather Strip

V113


Length	Color	PN
150" (3810)	Beige	15619698
	White	15620498
	Black	15620598




Weep Bump


OXXO only

Color	PN
Black	10500095







**Screen Surround, Aluminum Profile,
A135**



Corner Key, Screen



**Screen Surround - OXXO use only,
A2296**



**Corner Key, Screen
OXXO use only**

For Combinations and Energy Panel Availability and Replacement Parts, see Replacement Parts section:
“Ultimate and Ultimate Wood Window Combinations and Energy Panels”