



# Modern Outswing Door

## Replacement Parts

Specifications and technical data are subject to change without notice.

Numbers listed in ( ) parentheses are metric equivalents in millimeters rounded to the nearest whole number.


Suggested fasteners are not included and must be ordered separately.

Illustrations are not to scale.

## Contents

Product History.....	2
Part Identification - Operator Panel .....	3
Part Identification - X .....	4
Part Identification - Stationary Meeting Stile .....	5
Part Identification - OX.....	6
Part Identification - Low Profile Sill - OX.....	7
Part Identification - Performance Sill - OX .....	8
Part Identification - XX.....	9
Part Identification - Low Profile Sill - XX .....	10
Part Identification - Performance Sill - XX.....	11
Installation Parts.....	12
Installation Parts - Fabricated .....	15
Installation Tools .....	16
Trimsets .....	17
Locking Hardware .....	19
Hinges.....	27
Miscellaneous Parts .....	29
Aluminum Parts .....	31
Aluminum Parts - Fabricated.....	35
Aluminum Parts - Configured Parts in OMS .....	38
Vinyl Parts.....	39
Weather Strip .....	40
Weather Strip - Fabricated .....	43
Screen Handing Diagram.....	44
SE2 Retractable Screen Parts.....	45


<b>Produced</b>	<b>Unit Type</b>	<b>Features and Changes</b>
2021	Modern Outswing Door	04/26/2021: Introduced Modern Outswing Door.
2023	Modern Outswing Door	10/30/2023: An ERS coating became available as a standard option for current Triple Pane offerings. See Product Bulletin 904 for more details.




1. Top Rail Cap Weather Strip, V3176
2. Shoot Bolt Guide
3. Shoot Bolt Rod
4. Locking Stile Weather Strip Carrier, V3079
5. Weather Strip, V147
6. Panel Cover Plate
7. Lockbox, Active
8. Trimset (select parts also available individually)
9. Panel Corner Cover
10. Hinge Escutcheon
11. Panel Alignment Bolt Receiver




1. Frame Gasket
2. Head Jamb Strike, Single
3. Frame Cladding, A3501(used at Header and Jambs)
4. Connecting Barb, V803, used with Frame Cladding (available in Modern Accessories)
5. Jamb Weather Strip, V3055
6. Jamb Strike Plate Kit
7. Hinge
8. Panel Alignment Bolt




1. Weather Strip, V147
2. Stationary Bracket Kit
3. Sill Bolt
4. Dust Block, Astragal Cap
5. Astragal Cap
6. Astragal Base, A3530
7. Astragal Cover, A3531
8. Meeting Stile Weather Strip, V3080
9. Panel Strike Plate Kit
10. Center Stationary Bracket Kit (used on OX/XO)



1. Frame Cladding, A3501 (used at Header and Jambs)
2. Connecting Barb, V803, used with Frame Cladding (available in Modern Accessories)
3. Weather Strip (frame/astagal), V3055
4. Hinge
5. Panel Alignment Bolt
6. Frame Gasket
7. Head Jamb Strike Plate, Double



1. Weather Strip (Low Profile Sill), V147
2. Low Profile Sill Cover, A3525
3. Weep
4. Weep Tube Outlet (optional)
5. Sill Support, A3520 (Installation only)
6. Sill Strike, Single (OX/XO)




1. Performance Sill Cover, A3524
2. Weather Strip, V3092
3. Connecting Barb, V803 (available in Accessories section)
4. Foam Plug (installation only)
5. Weep
6. Weep Tube Outlet (optional)
7. Sill Support, A3520 (Installation only)
8. Sill Strike, Single (OX/XO)






1. Frame Cladding, A3501 (used at Header and Jambs)
2. Connecting Barb, V803, used with Frame Cladding (available in Modern Accessories)
3. Weather Strip (frame/astagal), V3055
4. Hinge
5. Panel Alignment Bolt
6. Frame Gasket
7. Head Jamb Strike Plate, Double



1. Weather Strip (Low Profile Sill), V147
2. Low Profile Sill Cover, A3524
3. Weep
4. Weep Tube Outlet (optional)
5. Sill Support, A3520 (Installation only)
6. Sill Strike, Double (XX)




1. Performance Sill Cover, A3525
2. Weather Strip, V3092
3. Connecting Barb, V803 (available in Accessories section)
4. Foam Plug (installation only)
5. Weep
6. Weep Tube Outlet (optional)
7. Sill Support, A3520 (Installation only)
8. Sill Strike, Double (XX)

## Head Jamb Key Kit

### Usage dates:

4/26/2021 to present

Color	PN
Black	11862354




## Lower Jamb Key

### Usage dates:

4/26/2021 to present


Handing	Color	PN
RH	Black	10501918
LH	Black	10501917



## Interior Flat Shim

Adhesive backed

Qty	PN
Pkg of 20	11102180




## Saddle Sill Key

### Usage dates:

4/26/2021 to present

Handing	Color	PN
RH	Black	10501754
LH		10501755




RH shown

## Saddle Sill Jamb Gasket

### Usage dates:

4/26/2021 to present

Color	PN
Black	10815728




## Sill Support

A3520

### Usage dates:

4/26/2021 to present

Length	PN
200" (5080)	18876855




## Foam Plug (Performance Sill Cover)

### Usage dates:

4/26/2021 to present

PN
10500664



## Saddle Sill Install Screw Kit

### Includes:

3 - #10 x 1 1/2", Flat Head, Phillips, Full Thread Screws

PN
11862367




## Sill to Jamb Screw Kit

### Includes:

6 - #8 x 1 3/4", Tek-2, pan head screws, full thread, stainless steel screws

PN
11862348




## Strike Install Screw Kit

### Includes:


4 - #8-15 x 3" Type A/TF, 2/3 thread

Stainless Steel PN	Black PN
11862346	11862347



**Ordering specifications (use all that apply):**

1. Original order number/line number (if available)
2. Profile
3. Length
4. Handing
5. Color



**Sill Support, A3520**

Usage Dates: 4/26/2012 to present

## Installation Tools Kit

### Includes:


- 1 - Short arm Allen wrench, M3
- 1 - Short arm Allen wrench, M6

PN
11862830

No Illustration Available

## Construction Handle

PN
10830451






## Active Trimset

NOTE: Keyed Cylinder must be ordered separately

### Usage dates:

4/26/2021 to present

Color	PN
Matte Black	10501760
Matte Bronze	10501761
Satin Nickel	10501762
Silver	10501763
Stone White	10501764




## Passive Trimset

### Usage dates:

4/26/2021 to present

Color	PN
Matte Black	10501765
Matte Bronze	10501766
Satin Nickel	10501767
Silver	10501768
Stone White	10501769



## Exterior Gasket, Trimset

### Usage dates:

4/26/2021 to present

Color	PN
Black	10501776



## Keyed Cylinder, Active Trimset

### Includes:


2 keys

NOTE: For keyed alike cylinders, please contact your Marvin representative. Please supply the original order number, if available.

### Usage dates:

4/26/2021 to present

PN
10830289



## Thumb Turn Fastener Kit


### Includes:

- 2 - Self tapping screws
- 1 - M5 machine screw
- 1 - Base
- 1 - Detent washer

### Usage dates:

4/26/2021 to present

PN
10501777



## Spindle Kit, Trimset


### Includes:

- 4 - Self tapping screws
- 2 - Set screws
- 1 - Split spindle
- 1 - Hex wrench
- 1 - Spring Cartridge
- 2 - Bushings

### Usage dates:

4/26/2021 to present

PN
10501778




## Gear Box, 35mm, Active, .625

### Usage dates:

4/26/2021 to present

PN
10501655




## Latch Bolt

### Usage dates:

4/26/2021 to present

PN
10501929



## Gear Box, 35mm, Passive

### Usage dates:

4/26/2021 to present

PN
10501913



## Cover Plate, Active Multipoint Lock

### Usage dates:

4/26/2021 to present

Color	PN
Matte Black	11841984
Stainless Steel	11841982



## Center Stationary Bracket Kit

### Includes:

2 - #8-15 x 1/2" Type AB, Phillips, flat head screws

### Usage dates:

4/26/2021 to present

Color	PN
Matte Black	11862338
Stainless Steel	11862339



## Shoot Bolt Rod

### Usage dates:

4/26/2021 to present

Lower Shoot Bolt Rod	
Length	PN
33.55" (852.17)	11843005

Upper Shoot Bolt Rod	
Length	PN
52.948" (1344.88)	11843006
76.948" (1954.48)	11843007
101.793" (2585.54)	11843008



## Shoot Bolt Guide

### Includes:

1 - #10-16 x 1 1/2", P2, Phillips full thread, Tek 3 screws

### Usage dates:

4/26/2021 to present

Color	Handing	PN
Black	A	11862371
	B	11862372



## Head Jamb Strike Kit, X

### Includes:

- 1 - #8-15 X 1/2" Type AB, Phillips, flat head, UC screws
- 4 - #8-15 X 3" Type A/TF, 2/3 thread screws
- 1 - Frame gasket (10500426)

### Usage dates:

4/26/2021 to present

Color	Handing	PN
Black	LH	11862351
	RH	11862352
Stainless Steel	LH	11862349
	RH	11862350



RH shown

## Head Jamb Strike Kit, Double

### Includes:

- 2 - #8-15 x 1/2" AB, Phillips flat head, UC screw
- 2 - #8-15 x 3" Type AT/F, 2/3 thread screws

### Usage dates:

4/26/2021 to present

Color	PN
Matte Black	11862362
Stainless Steel	11862361



## Sill Strike Kit, Single, X, OX/XO

### Includes:

2 - #8-15 x 1/2" AB, Phillips flat head, UC screw

### Usage dates:

4/26/2021 to present

Color	PN
Matte Black	11862364
Stainless Steel	11862363



## Sill Strike Kit, Double, XX


### Includes:

3 - #8-15 x 1/2" AB, Phillips flat head, UC screw

### Usage dates:

4/26/2021 to present

Color	PN
Matte Black	11862366
Stainless Steel	11862365



## Panel Strike Plate Kit

### Includes:

5 - #8-15 X 1/2 Type AB, Phillips, flat head, UC screw

### Usage dates:

4/26/2021 to present

Color	PN
Matte Black	11862356
Stainless Steel	11862355



## Jamb Strike Plate Kit

### Includes:

1 - #8-15 X 1/2" Type AB, Phillips, flat head, UC screw

2 - #8-15 X 3" Type A/TF, 2/3 thread screw

### Usage dates:

4/26/2021 to present

Color	PN
Matte Black	11862370
Stainless Steel	11862369



## Sill Bolt, Stationary


### Includes:

2 - #10-16 x 1 1/2", P2, Phillips full thread, Tek 3 screws

### Usage dates:

4/26/2021 to present

Color	Handing	PN
Black	Center	11862376
	LH	11862377
	RH	11862378



Center



LH shown



## Sill Bolt Kit, Saddle Sill


### Includes:

2 - #10-16 x 1 1/2" P2, Phillips head, full thread Tek 3 screws


### Usage dates:

4/26/2021 to present


Color	Handing	PN
Black	Center	11862380
	LH	11862381
	RH	11862382



LH



Center



RH

## Panel Alignment Bolt Kit

### Includes:

2 - #8-15 x 3" Type A/TF, 2/3 thread screws

### Usage dates:

4/26/2021 to present

Color	PN
Black	11862325



## Panel Alignment Bolt Receiver

### Usage dates:

4/26/2021 to present

Color	PN
Black	11843019




## Sill Strike, Saddle Sill

### Usage dates:

4/26/2021 to present

Color	PN
Bronze	11869840



## Hinge

### Includes color matched screws:


- 9 - #10-24 x 1 1/2" Phillips flat head screws
- 7 - #10-24 x 1/2" Phillips flat head screws
- 3 - #10-12 x 3" 2/3 thread screw

NOTE: LH part applied to left jamb, RH part applied to right jamb (as viewed from exterior)

### Usage dates:

4/26/2021 to present

Color	LH PN	RH PN
Matte Black	11862789	11862790
Matte Bronze	11862791	11862792
Satin Nickel	11862793	11862794
Silver	11862795	11862796
Stone White	11862797	11862798



LH shown

## Hinge Screw Kit, Jamb

### Includes:

- 16 - #10-24 x 1/2" Phillips flat head screws

NOTE: Screws are used to attach hinge to the jamb

### Usage dates:

4/26/2021 to present

Color	Used with hinge color(s)	PN
Black	Matte Black, Matte Bronze	11862776
Stainless Steel	Satin Nickel, Silver	11862777
Stone White	Stone White	11862778



## Hinge Escutcheon

### Usage dates:

4/26/2021 to present

Color	PN
Matte Black	11841940
Dark Bronze	11841941
Satin Nickel	11841942
Silver	11841943
Stone White	11841944



## Hinge Installation Screw Kit

### Includes:

8 - #10-12 x 3", 2/3 thread Phillips flat head screws

1 - Package of 18 #10-24 x 1 1/2" Phillips flat head screws

### Usage dates:

4/26/2021 to present

Color	Used with hinge color(s)	PN
Black	Matte Black, Matte Bronze	11862335
Stone White	Stone White	11862332
Stainless Steel	Satin Nickel, Silver	11862333




## Astragal Cap

### Usage dates:

4/26/2021 to present

Color	Handing	PN
Black	A	10501714
	B	10501713



## Dust Block, Astragal Cap

### Usage dates:

4/26/2021 to present

Color	PN
Black	10500409



## Dust Block

Used: Jamb to Performance, Low Profile or Saddle Sill

### Usage dates:

4/26/2021 to present

PN
10500464



## Panel Corner Cover


### Includes:

1 - #8 x 1", TEK 3, full thread, Phillips pan head, Stainless Steel

### Usage dates:

4/26/2021 to present

Color	Handing	PN
Black	A	11862373
	B	11862374



## Weep

### Usage dates:

4/26/2021 to present

Color	PN
Black	11843020




## Weep Tube Outlet

### Usage dates:

4/26/2021 to present

Color	PN	Pkg/2 PN
Black	11843021	11862326




## Frame Gasket

### Usage dates:

4/26/2021 to present

PN
10500426



## Stationary Bracket Kit

### Includes:

- 2 - #8 x 1 3/4" full thread, pan head screw
- 1 - #10-12 x 3", Torx T20, Phillips head, 2/3 thread screw

### Usage dates:

4/26/2021 to present

PN
11862353



## 15/16" Stile Clad

A3532

### Usage dates:

4/26/2021 to present

Length	Color	PN
200" (5080)	Bronze	18820210
	Ebony	18820200
	Gunmetal	18820220
	Stone White	18820215
	Clear Anodized	18820205



## 1 1/4" Stile Clad

A3686

### Usage dates:

4/26/2021 to present

Length	Color	PN
200" (5080)	Bronze	11876760
	Ebony	11876750
	Gunmetal	11876770
	Stone White	11876765
	Clear Anodized	11876755



## Astragal Base

A3530

### Usage dates:

4/26/2021 to present

Length	Color	PN
200" (5080)	Black	18877005



## Astragal Cover

A3531

### Usage dates:

4/26/2021 to present

Length	Color	PN
200" (5080)	Bronze	18876660
	Ebony	18876650
	Gunmetal	18876670
	Stone White	18876665
	Clear Anodized	18876655





## Low Profile Sill Cover

A3525

### Usage dates:

4/26/2021 to present

Length	Color	PN
200" (5080)	Black	18876975
	Bronze	18876985



## Performance Sill Cover

A3524

### Usage dates:

4/26/2021 to present

Length	Color	PN
200" (5080)	Black	18876950
	Bronze	18876960




## Frame Cladding

A3501

### Usage dates:

4/26/2021 to present

Length	Color	PN
200" (5080)	Bronze	18876810
	Ebony	18876800
	Gunmetal	18876820
	Stone White	18876815
	Clear Anodized	18876805



**Ordering specifications (use all that apply):**

1. Original order number/line number (if available)
2. Profile
3. Length
4. Handing
5. Color



**15/16" Locking Stile Clad, A3533**  
Usage Dates: 4/26/2021 to present



**15/16" Stile Clad, A3532**  
Usage Dates: 4/26/2021 to present



**1 1/4" Locking Stile Clad, A3685**  
Usage Dates: 4/26/2021 to present



**1 1/4" Stile Clad, A3686**  
Usage Dates: 4/26/2021 to present

**Ordering specifications (use all that apply):**

1. Original order number/line number (if available)
2. Profile
3. Length
4. Handing
5. Color



**Astragal Base, A3530**

Usage Dates: 4/26/2021 to present




**Astragal Cover, A3531**

Usage Dates: 4/26/2021 to present

**Ordering specifications (use all that apply):**


1. Original order number/line number (if available)
2. Profile
3. Length
4. Handing
5. Color




**Low Profile Sill Cover, A3525**  
Usage Dates: 4/26/2021 to present




**Performance Sill Cover, A3524**  
Usage Dates: 4/26/2021 to present



**Frame Cladding, A3501**  
Usage Dates: 4/26/2021 to present



**Astragal Base, Exterior  
A1432**



**Astragal Cap, Exterior  
A1464**

## Interior Glazing Seal

V2949

### Usage dates:

4/26/2021 to present

Length	Color	PN
200" (5080)	Black	16219235



## Hinge Stile Cover

V3099

### Usage dates:

4/26/2021 to present

Length	Color	PN
18 61/64" (481)	Black	16219618
150" (3810)		16219699



## Weather Strip


V3055

Used on Frame and Astragal

### Usage dates:

4/26/2021 to present

Length	Color	PN
200" (5080)	Black	16219806



## Weather Strip

V3092

Used on High Performance Sill

### Usage dates:

4/26/2021 to present

Length	Color	PN
200" (5080)	Black	16219810





## Weather Strip


V147

Used on Exterior Panel

### Usage dates:

4/26/2021 to present

Length	Color	PN
150" (3810)	Black	17002299



## Weather Strip


V3080

Used on Meeting Stile

### Usage dates:

4/26/2021 to present

Length	Color	PN
150" (3810)	Black	16219835



## Pile, Saddle Sill

### Usage dates:


4/26/2021 to present

Length	Color	PN
Specify length	Black	10815729




**Ordering specifications (use all that apply):**

1. Original order number/line number (if available)
2. Profile
3. Length
4. Handing
5. Color




**Top Rail Cap Weather Strip, V3176**  
Usage Dates: 4/26/2021 to present




**Locking Stile Weather Strip Carrier, V3079**  
Usage Dates: 4/26/2021 to present



**Saddle Sill Sweep Assembly**  
Usage Dates: 4/26/2021 to present




**Saddle Sill Weather Strip Carrier,  
Stationary, V3142**  
Usage Dates: 4/26/2021 to present



**Ordering specifications (use all that apply):**


1. Original order number/line number (if available)
2. Total rough opening
3. Part length
4. Handing
5. Finish/color (if applicable)



**Head Jamb**

Colors: Clear Anodized, Gunmetal, Stone White, Bronze and Ebony

Usage Dates: 4/26/2021 to present




**Head Cover Assembly**

Colors: Clear Anodized, Gunmetal, Stone White, Bronze and Ebony

Usage Dates: 4/26/2021 to present


**Ordering specifications (use all that apply):**

1. Original order number/line number (if available)
2. Total rough opening
3. Part length
4. Handing
5. Finish/color (if applicable)




**Sill**

Colors: Bronze and Ebony  
Usage Dates: 4/26/2021 to present



**Sill Cover Assembly**

Colors: Bronze and Ebony  
Usage Dates: 4/26/2021 to present




**Sill Cover, Short End P1 or P2**

Colors: Bronze and Ebony  
Usage Dates: 4/26/2021 to present

**Ordering specifications (use all that apply):**


1. Original order number/line number (if available)
2. Total rough opening
3. Part length
4. Handing
5. Finish/color (if applicable)



**Sill Riser**

Colors: Bronze and Ebony

Usage Dates: 4/26/2021 to present




**Sill Riser End Cap**

Colors: Black

Usage Dates: 4/26/2021 to present

**Ordering specifications (use all that apply):**


1. Original order number/line number (if available)
2. Total rough opening
3. Part length
4. Handing
5. Finish/color (if applicable)



**Jamb Cover, Screen Roll side**

Colors: Clear Anodized, Gunmetal, Stone  
White, Bronze and Ebony

Usage Dates: 4/26/2021 to present



**Jamb Cover with Magnet**


Colors: Clear Anodized, Gunmetal, Stone  
White, Bronze and Ebony

Usage Dates: 4/26/2021 to present



**Ordering specifications (use all that apply):**

1. Original order number/line number (if available)
2. Total rough opening
3. Part length
4. Handing
5. Finish/color (if applicable)




**Cone Assembly P1 or P2**

Usage Dates: 4/26/2021 to present

**No illustration available**

**Cable**

Colors: Black, Red, Yellow, Green  
Usage Dates: 4/26/2021 to present



**Screen Roll Assembly,  
Standard Weave P1 or P2**

Usage Dates: 4/26/2021 to present