

Ultimate Wood Outswing French Door 2 1/4inch Arch Top

Replacement Parts

Specifications and technical data are subject to change without notice.

Numbers listed in () parentheses are metric equivalents in millimeters rounded to the nearest whole number.


Suggested fasteners are not included and must be ordered separately.

Illustrations are not to scale.

Contents


Product History	
Product HistoryPart Identification - Operator XX R	
Installation Parts	
Traditional Handle	
Contemporary Handle	
Handle - Keyed Cylinder	1
Handle Set - Discontinued Limited Availability (LA)	1
Hinge Handing Location	18
Hinges	1
Locking Hardware	2
Miscellaneous Parts	
Miscellaneous Parts - Discontinued Limited Availability (LA)	2
Miscellaneous Parts - Discontinued No Availability (NA)	
Aluminum Parts - Discontinued Limited Availability (LA)	2
Fiberglass Parts	30
Vinyl Parts	3
Wood Parts	
Wood Parts - Discontinued Limited Availability (LA)	3
Weather Strip	
Weather Strip - Discontinued Limited Availability (LA)	
Panel Replacement	

Produced	Unit Type	Features and Changes	
2005	Ultimate Wood Outswing French Door 2 1/4inch Arch Top	5/31/2005: 2 1/4inch Panel IZ3 doors introduced. Units feature multi-point lock, LVL stiles and rails, and 4 1/" x 4 1/2" ball bearing hinges.	
2006	Ultimate Wood Outswing French Door 2 1/4inch Arch Top	11/20/2006: Introduced the 2 1/4inch door as a standard residential product.	
2007	Ultimate Wood Outswing French Door 2 1/4inch Arch Top	2/20/2007: Introduced raised and flat panels as a standard option.	
2008	Ultimate Wood Outswing French Door 2 1/4inch Arch Top	7/28/2008: Mixed grain Douglas fir is now a standard option.	
2009	Ultimate Wood Outswing French Door 2 1/4inch Arch Top	3/23/2009: Added LoĒ3-366 as a standard option for all products. Added Cedro Macho as a standard option for all Ultimate products. 3/30/2009: Implemented design changes to the 2 1/4inch Outswing. Changes include new panel sweep, dust blocks, IZ3/IZ4 wood bead and shoot bolt reinforcement.	
2010	Ultimate Wood Outswing French Door 2 1/4inch Arch Top	2/22/2010: Added Dark Bronze hardware finish to doors.	
2011	Ultimate Wood Outswing French Door 2 1/4inch Arch Top	4/25/2011: Added LoĒ-180 as a standard option for all products. White painted interior finish option introduced for all products.	
2012	Ultimate Wood Outswing French Door 2 1/4inch Arch Top	7/30/2012: Adjustable Hinge became standard. 10/29/2012: Interior Square Sticking/Glazing Bead option introduced. 12/17/2012: Introduced Clear Interior Finish option on all products.	
2013	Ultimate Wood Outswing French Door 2 1/4inch Arch Top	4/29/2013: Introduced interior stain options. Stain colors are Wheat, Honey, Leather, Hazelnut, Cabernet and Espresso. 12/16/2013: Interior Shades option introduced.	
2014	Ultimate Wood Outswing French Door 2 1/4inch Arch Top	2/24/2014: Introduced two Pearlescent colors (Bright Silver and Copper) and discontinued colors (Sherwood Green and Cobalt Blue) to the Ultimate Doors. Removed screen information and added new chapter for screen to manual. 4/28/2014: Added the Contemporary Panel and Contemporary Handle options. 6/23/2014: Added PVD color options for the Contemporary Handle; Oil Rubbed Bronze PVD and Satin Nickel PVD are now available. 8/25/2014: Panel drip and screws (A2408) will now match standard color. Screws for custom color will be stainless steel.	
2015	Ultimate Wood Outswing French Door 2 1/4inch Arch Top	6/06/2015 Replace the current sweep profiles for the Outswing doors. V1713 and V1657 are replaced with V2416 and V2427. The A2408 Panel Drip is no longer needed with this new sweep design.	
2016	Ultimate Wood Outswing French Door 2 1/4inch Arch Top		
2023	Ultimate Wood Outswing French Door 2 1/4inch Arch Top	2/27/2023: IZ3 certified Ultimate Wood 2 1/4" doors were moved to Discontinued - Limited Availability (DISC LA). This move allows for continued replacement and configured part support but does not allow ordering full IZ3 Wood Ultimate 2 ½" door units. See Product Bulletin 861 for more information. 10/30/2023: An ERS coating became available as a standard option for current Triple Pane offerings. See Product Bulletin 904 for more details.	




Head Jamb and Sill

- 1. Head Jamb Brick Mould Casing
- 2. Frame Weather Strip, V1732
- 3. Head Jamb/Jamb Stop, W9951
- 4. Bulb Weather Strip, V1733
- 5. Radiused Glazing Bead, W12841
- 6. Glazing Bead, W9949
- 7. Vinyl Glazing Bead, V2447
- 8. Sill Weather Strip, V1659
- 9. Sill Liner, W2528
- 10. Sweep, V2416
- 11. Stile Weather Strip, V020
- 12. Interior Handle
- 13. Astragal Weather Strip, V796
- 14. Astragal, W8775
- 15. Astragal Base. W1455
- 16. Connecting Barb, V803
- 17. Inactive Panel Weather Strip, V1706
- 18. Exterior Handle
- 19. Adjustable Hinge



Construction Handle

PN 10830451




Handle Assembly, Active, Keyed

Mortise Lock and Multi-Point Lock Systems (Schlage "C" Keyway)

- 1 Interior lever with spindle, escutcheon plate and hardware
- 1 Exterior lever with escutcheon plate and hardware
- 1 Thumb turn with hardware (A)
- 1 Keyed cylinder with housing and hardware, includes 2 keys (B)
- 1 Exterior escutcheon plate gasket
- 2 Lug Seal (C)
- 1 Two piece spindle, 5.06" w/2 1/4" panel (D)
- 2 #10-32 x 2 5/8" Phillips oval head machine screws (w/2 1/4" Panel) (E)

Handle Assembly - 2 1/4" Panel		
Color	PN	
Satin Taupe	21448114	
Antique Brass	21448116	
White	21448119	
Satin Chrome	21448112	
Oil Rubbed Bronze	21448111	
Oil Rubbed Bronze PVD	21448118	
Brass PVD	21448160	
Satin Nickel PVD	21448110	
Dark Bronze	21448120	
Polished Chrome	21448117	
Matte Black	21448131	




Active Panel Exterior

Handle Assembly, Active, Non-Keyed

Mortise Lock and Multi-Point Lock Systems (Schlage "C" Keyway)

- 2 Levers
- 2 Lever bushings (D)
- 2 Lug seals (C)
- 1 Interior escutcheon
- 1 Exterior escutcheon
- 1 Thumb turn with actuator/tail piece (B)
- 1 Two piece spindle, 5.06" w/2 1/4" panel (A)
- $2 #10 32 \times 25/8$ " Phillips oval head machine screws (w/2 1/4" Panel) (E)
- 2 Set screws
- 1 Allen wrench
- 1 Installation instruction


Handle Assembly - 2 1/4" Panel		
Color	PN	
Satin Taupe	21448174	
Antique Brass	21448180	
White	21448176	
Satin Chrome	21448173	
Oil Rubbed Bronze	21448172	
Oil Rubbed Bronze PVD	21448170	
Brass PVD	21448177	
Satin Nickel PVD	21448181	
Dark Bronze	21448178	
Polished Chrome	21448175	
Matte Black	21448179	




Handle Assembly, Inactive/Dummy

- 1 Interior lever with spindle, escutcheon plate and hardware
- 1 Exterior lever with escutcheon plate and hardware
- 1 Exterior escutcheon plate gasket
- 1 Exterior escutcheon plate
- 2 Lug seals (A)
- 1 Two piece spindle, 5.06" (w/2 1/4" panel) (B)
- $2 #10 32 \times 25/8$ " Phillips oval head machine screws (w/2 1/4" Panel) (C)

Handle Assembly - 2 1/4" Panel		
Color	PN	
Satin Taupe	21448151	
Antique Brass	21448147	
White	21448150	
Satin Chrome	21448153	
Oil Rubbed Bronze	21448154	
Oil Rubbed Bronze PVD	21448145	
Brass PVD	21448161	
Satin Nickel PVD	21448133	
Dark Bronze	21448162	
Polished Chrome	21448148	
Matte Black	21448163	







Inactive Panel Exterior


Thumb Turn, Traditional

For Keyed Handle

Includes:

Thumb Turn Washer Thumb Turn Push Nut

No Tail Piece/Actuator (for keyed handle)		
Color	PN	
Antique Brass	10148483	
Satin Chrome	10148482	
Oil Rubbed Bronze	10148481	
Oil Rubbed Bronze PVD	10148485	
Polished Chrome	10148488	
Brass PVD	10148484	
Satin Nickel PVD	10148487	
Satin Taupe	10148486	
Dark Bronze	10148479	
White	10148489	
Matte Black	10148480	




Thumb Turn, Traditional with Actuator/Tail Piece

For Non-Keyed Handle

Includes:

Actuator/Tailpiece Thumb Turn Washer Thumb Turn Push Nut


With Tail Piece/Actuator (for non-keyed handle)		
Color	PN	
Antique Brass	10148495	
Satin Chrome	10148494	
Oil Rubbed Bronze	10148493	
Oil Rubbed Bronze PVD	10148497	
Polished Chrome	10148500	
Brass PVD	10148496	
Satin Nickel PVD	10148499	
Satin Taupe	10148498	
Dark Bronze	10148491	
White	10148501	
Matte Black	10148492	



#10-32 x 2 5/8" Phillips Oval Head Machine Screw

For 2 1/4" Panels

Color	PN
Satin Taupe	11800237
Antique Brass	11800234
Satin Chrome	11800233
Polished Chrome	11800239
White	11800240
Oil Rubbed Bronze	11800232
Oil Rubbed Bronze PVD	11800236
Brass PVD	11800235
Satin Nickel PVD	11800238
Dark Bronze	11800231
Matte Black	11800179




Spindle/Spindle Extension Kit

Includes:

- 1 2 pc. Spindle
- 2 Set screws

Length	PN	
5.06"	18900393	




Lever Bushing, Traditional

Color	PN
Clear	02062201
Gray	10148448
Gold	10148447
Natural	02062202
Black	10148020



Lug Seal

PN
00142046




Contemporary Handle, Exterior, Active, Keyed

Includes:

- 1 Handle
- 1 Exterior escutcheon with bushing
- 1 Keyed cylinder, includes 2 keys
- 2 Lug seals
- 1 Spring cartridge
- 1 Set screw
- 1 Installation instruction
- 1 Hex wrench


LH Outswing Panel uses RH PN RH Outswing Panel uses LH PN			
Color LH PN RH PN			
Matte Black	11870120	11870112	
Satin Nickel PVD	11870122	11870114	
Oil Rubbed Bronze PVD	11870124	11870116	
Dark Bronze	11870126	11870118	



Contemporary Handle, Interior, Active, Keyed

- 1 Handle
- 1 Interior escutcheon with bushings
- 1 Spring cartridge
- 1 Thumb turn
- 2 Machine screws, 2 1/4" Doors
- 2 Machine screws, 1 3/4" Doors
- 1 Split spindle, 2 1/4" Doors
- 1 Split spindle, 1 3/4" Doors
- 1 Set screw
- 1 Installation instruction
- 1 Hex wrench

LH Outswing Panel uses LH PN RH Outswing Panel uses RH PN		
Color	LH PN	RH PN
Matte Black	11870104	11870097
Satin Nickel PVD	11870106	11870098
Oil Rubbed Bronze PVD	11870108	11870100
Dark Bronze	11870110	11870102




RH shown

Contemporary Handle, Interior, Active, Non-Keyed

- 1 Handle
- 1 Interior escutcheon with bushings
- 1 Spring cartridge
- 1 Thumb turn
- 2 Machine screws, 2 1/4" Doors
- 2 Machine screws, 1 3/4" Doors
- 1 Split spindle, 2 1/4" Doors
- 1 Split spindle, 1 3/4" Doors
- 1 Set screw
- 1 Installation instruction
- 1 Hex wrench

LH Outswing Panel uses LH PN RH Outswing Panel uses RH PN		
Color	LH PN	RH PN
Matte Black	11870136	11870128
Satin Nickel PVD	11870138	11870130
Oil Rubbed Bronze PVD	11870139	11870132
Dark Bronze	11870143	11870133




RH shown

Contemporary Handle, Exterior, Non-Keyed, Inactive/Dummy

Includes:

- 1 Handle
- 1 Exterior escutcheon with bushings
- 2 Lug seals
- 1 Fixing plate
- 1 Set screw
- 1 Installation instruction
- 1 Hex wrench

LH Outswing Panel uses RH PN RH Outswing Panel uses LH PN		
Color	LH PN	RH PN
Matte Black	11870153	11870145
Satin Nickel PVD	11870154	11870146
Oil Rubbed Bronze PVD	11870156	11870148
Dark Bronze	11870158	11870149




Contemporary Handle, Interior, Inactive/Dummy

- 1 Handle
- 1 Escutcheon with bushing
- 1 Dummy fixing plate
- 1 Spring cartridge
- 2 Machine screws, 2 1/4" Doors
- 2 Machine screws, 1 3/4" Doors
- 1 Split spindle, 2 1/4" Doors
- 1 Split spindle, 1 3/4" Doors

1		C ~+	oorou
	_	Set	SCrev

- 1 Installation instruction
- 1 Hex wrench

LH Outswing Panel uses LH PN RH Outswing Panel uses RH PN		
Color	LH PN	RH PN
Matte Black	11870169	11870160
Satin Nickel PVD	11870171	11870162
Oil Rubbed Bronze PVD	11870172	11870164
Dark Bronze	11870174	11870166



RH shown


Thumb Turn, Contemporary

For Keyed Handle

Includes:

Thumb Turn Washer Thumb Turn Push Nut

No Tail Piece/Actuator (for keyed handle)	
Color	PN
Oil Rubbed Bronze PVD	10148485
Satin Nickel PVD	10148487
Dark Bronze	10148479
Matte Black	10148480




Thumb Turn, Contemporary with Actuator/Tail Piece

For Non-Keyed Handle

Includes:


Actuator/Tailpiece Thumb Turn Washer Thumb Turn Push Nut

With Tail Piece/Actuator (for non-keyed handle)		
Color	PN	
Oil Rubbed Bronze PVD	10148497	
Satin Nickel PVD	10148499	
Dark Bronze	10148491	
Matte Black	10148492	




M5 x 65mm Oval Head Machine Screw

Color	PN
Oil Rubbed Bronze PVD	10148456
Satin Nickel PVD	10148457
Dark Bronze	10148455
Matte Black	11800694



Handle Extension

Color	PN
Oil Rubbed Bronze PVD	10148421
Satin Nickel PVD	10148422
Dark Bronze	10148420
Matte Black	10148445




Spindle Kit

Includes:

- 1 2 pc. Spindle
- 2 Set screws

NOTE: Longer length spindles are intended for use with the 3/4" Handle Extension.

2 1/4" Panels	
Length	PN
5 1/8"	10148458
5 29/32"	10148459



Spring Cartridge

PN
10830452



Lever Bushing, Contemporary

Color	PN
Gray	10148448
Natural	02062202
Black	10148020



Gasket Post, Lug Seal

	PN
Ī	10148404
_	



Gasket, Top Backplate

PN
10148405



Keyed Cylinder, Lock

(Schlage "C" Keyway)

For service replacement only.

Includes:

2 - Keys


NOTE: For Keyed Alike orders, use program C87P2

Polished Chrome, White, Satin Nickel PVD, Matte Black use

Chrome Face

Satin Taupe, Antique Brass, Satin Chrome, Oil Rubbed Bronze, Oil Rubbed Bronze PVD, Brass PVD, Dark Bronze use Brass Face

Color	PN
Brass Face	10830212
Chrome Face	10830209




Handle Assembly, Active Panel

Includes:

- 1 Interior lever with spindle, escutcheon plate and hardware (A)
- 1 Exterior lever with escutcheon plate and hardware (B)
- 1 Thumb turn with hardware (C)
- 1 Keyed cylinder with housing and hardware, includes 2 keys (D)
- 1 Exterior escutcheon plate gasket (E)
- 1 Exterior escutcheon plate (F)
- 1 Two piece spindle (G)
- 2 M5 x 65mm Phillips oval head machine screws (H)
- 1 Interior escutcheon plate (I)
- 1 Thumb turn washer (J)
- 1 Thumb turn push nut (K)


Color	PN	
Satin Taupe	21448121	



Handle Assembly, Inactive

- 1 Interior lever with spindle, escutcheon plate and hardware (A)
- 1 Exterior lever with escutcheon plate and hardware (B)
- 1 Exterior escutcheon plate gasket (C)
- 1 Exterior escutcheon plate (D)
- 1 Two piece spindle (E)
- 2 M5 x 65mm Phillips oval head machine screws (F)
- 1 Interior escutcheon plate (G)

Color	PN
Satin Taupe	21448125



3/4" Handle Extension


Requires 3/4" Spindle Extension

Color	PN
Satin Taupe	10148419




M5 x 65mm Phillips Oval Head Machine Screw

Color	PN	
Satin Taupe	10148454	



NOTE: Always view units from the exterior for handing. H=Hinge location





RH Outswing

X-RH Outswing

This panel uses the right hand hinge

X-LH Outswing

This panel uses the left hand hinge

Hinge Kit, Adjustable

Includes:

- 1 Adjustable hinge
- 1 #10 x 2 1/2" Phillips flat head wood screws (jamb)
- 5 #10 x 3/4" Phillips flat head wood screws (jamb, stationary stile)
- 4 #8 x 1 1/2" Phillips flat head wood screws (panel)


NOTE: Hinge part number includes the color matched screws, If you need to order the screws separately, they are listed below.

Adjustable Hinge Package - C	Matching		
Hinge Color	LH PN	RH PN	Screw Color
Satin Taupe (TP)	02101216	02101227	TP
Goldtone (GT)	02101213	02101224	GT
Silver Frost (SF)	02101218	02101229	Stainless Steel
Dark Bronze (DKBZ)	02101217	02101228	DKBZ
Antique Brass (AB)	02101210	02101221	DKBZ
White (WH)	02101214	02101225	WH
Satin Chrome (SC)	02101212	02101223	Stainless Steel
Oil Rubbed Bronze (ORBZ)	02101219	02101230	DKBZ
Oil Rubbed Bronze PVD (ORBZ)	02101211	02101222	DKBZ
Brass PVD (BS)	02101215	02101226	BS PVD
Satin Nickel (SN) PVD	02101220	02101231	Stainless Steel
Polished Chrome (PC)	02101234	02101235	Stainless Steel
Matte Black (MBK)	02101236	02101237	MBK

Adjustment Cover, Adjustable Hinge

PN 11844039





GT	\A/I I			Color and Part Number						
	WH	DKBZ	BS PVD	Stainless Steel	Chrome	MBK				
11865172	11865173	02058013	11865176	11865175		11865178				
11800670	11800671	11800669	11800673		11800672	11800677				
11800632	11800637	11800644	10148185	11800639		11800696				
	11800670	11800670 11800671	11800670 11800671 11800669	11800670 11800671 11800669 11800673	11800670 11800671 11800669 11800673	11800670 11800671 11800669 11800673 11800672				

Hinge 4 1/2" x 4 1/2" Ball Bearing


Includes:

- 1 Hinge
- 6 #12 x 1" Phillips flat head wood screws
- 2 #12 x 2 1/2" Phillips flat head screws

NOTE: Hinge part number includes the color matched screws, If you need to order the screws separately, they are listed below.

Hinge Color	PN
Stainless Steel	02100162
Satin Chrome / Brass	02101166
Bronze / Brass	02101167
Brass	02101165

Screw Description	Color	PN
#12 x 1" Phillips flat head wood screws	Stainless Steel	02056069
	Dark Bronze	02056010
	Brass	02056068
	Stainless Steel	02010311
#12 x 2 1/2" Phillips flat head screws	Dark Bronze	02056067
nat ricad screws	Brass	02010310




Hinge Color	Screw Color		
Stainless Steel	Stainless Steel		
Satin Chrome / Steel			
Satin Chrome / Brass			
Bronze / Steel	D 1 D		
Bronze / Brass	Dark Bronze		
Brass	Brass		

SC = US26D
BZ = US10A
BS = US3
SS = US32D


4 1/2" x 4 1/2" Hinge Shim





Locking Rod Assembly, Top Multi-Point Lock


Height	Top Locking Rod Length	Color	PN
CN 8-0 ht	51 7/16"	Stainless Steel	05700179
CN 10-0 ht	75 7/16"		05700196



Locking Rod Assembly, Bottom Multi-Point Lock

Solid stainless steel rod with 1/4" - 20 threads

Bottom Locking Rod Length	Color	PN
34 3/4"	Stainless Steel	10815179



Strike Plate, Sill/Head Jamb

NOTE: Used at Head Jamb






#10 x 3" Phillips Flat Head Screws

For Strike Plate, Sill/Head Jamb

Color	PN
Stainless Steel	02056011



Head Strike


RT2 one wide

Includes:

1 - Strike

 $2 - #10 \times 3$ " Phillips flat head screws


PN
05700319



Shoot Bolt, Beveled

RT2 one wide

PN
10815101




Shoot Bolt Guide

Includes:

1 - Shoot bolt guide


1-#8 x 1 1/2" Phillips pan head wood screw

PN
10815199




Sill Strike Backer Plate

PN
10148009




Stile End Plate

Handing	PN
LH	10148008
RH	10148007



Header Reinforcement Bracket


Color	PN
Stainless Steel	11100249



$#8 \times 1"$ Phillips Flat Head Screw


For Header Reinforcement Bracket

Color	PN
Stainless Steel	11800645




Sill Strike Backer Plate

PN
10148006



Sill Strike, IZ3

PN
10148005



Pkg, Panel Strike Plate


Mortise Lock or Multi-Point Lock

Includes:

- 1 Panel strike plate, Stainless Steel (05700049), Antique Brass (05700044), Oil Rubbed Bronze PVD (05700117) and Brass PVD (10148176)
- 2 #8-18 x 1" Type AB, Full thread, Phillips flat head screws, Stainless Steel (11800645), Dark Bronze (11800652) and Brass PVD (11800536)

Note: Dark Bronze screws are used with Antique Brass and Oil Rubbed Bronze PVD

Color	PN
Stainless Steel	05700312
Antique Brass	05700313
Oil Rubbed Bronze PVD	05700314
Brass PVD	10148183




Strike Plate, Jamb

Mortise Lock or Multi-Point Lock

Includes:

- 1 Jamb strike plate
- 2 #8-18 x 1" Type AB, Full thread, Phillips flat head screws, Stainless Steel (11800645), Dark Bronze (11800652) and Brass PVD (11800536)

Color	PN
Stainless Steel	05700309
Antique Brass	05700310
Oil Rubbed Bronze PVD	05700311
Brass PVD	10148182




Cover Plate

Active Mortise Lock or Multi-Point Lock

- 1 Cover plate
- 2 #8-18 x 1" Type AB, Full thread, Phillips flat head screws, Stainless Steel (11800645), Dark Bronze (11800652) and Brass PVD (11800536)


Color	PN
Stainless Steel	05700306
Antique Brass	05700307
Oil Rubbed Bronze PVD	05700308
Brass PVD	10148179



Mortise Lock, Active Multi-Point Lock

(Latch, dead bolt and head/foot shoot bolts)






Mortise Lock, Inactive Panel Multi-Point Lock


(Head/foot shoot bolts)

PN 05700131




Jamb Spacer Tack, Stationary Panel

3/4" Diameter Head



Head Jamb Spacer Tack, Stationary Panel




Sill Bolt, Stationary Panel

Includes:

2-#8 x 3" Phillips flat head wood screw (11800830)

Color	PN
Zinc Die Cast	11101856





Shim, Head Jamb Strike

Usage dates:


Prior to 8/31/2009

PN 11100251






4 1/2" x 4 1/2" Hinge Shim Ultimate Frame No Availability. Use current part.




Header Reinforcement Bracket No Availability. Use current part. Usage dates: Prior to 8/31/2009



Stop clip with screws
No Availability.

- 1. Profile number;
- 2. Rough opening;
- 3. Length;
- 4. Handing;
- 5. Finish (where applicable),



Panel Drip, Outswing, A2408

- 1. Profile number;
- 2. Rough opening;
- 3. Length;
- 4. Handing;
- 5. Finish (where applicable),




Ultrex Sill, 6 9/16" Jamb, F257 Available in Beige or Bronze

Connecting Barb


V803

NOTE: Color may vary depending on current stock.


Length	PN
Specify Length L/F	15812999




- 1. Profile number;
- 2. Rough opening;
- 3. Length;
- 4. Handing;
- 5. Finish (where applicable),



Mull Casing, W8775




Glazing Cap, W9949




First Mull Casing and Astragal, W1445



Astragal Cover and Transom Mull Cover, W7554




 ${\it Stationary Sweep Filler, Outswing, W12495}$




Sill Liner (Oak), Outswing, W2528

- 1. Profile number;
- 2. Rough opening;
- 3. Length;
- 4. Handing;
- 5. Finish (where applicable),








Part Stop, Outswing, W10401

Radius (RT6) Head Jamb Part Stop Outswing, W9983

Radius (RT2) Head Jamb Part Stop, Outswing, W9951

- 1. Profile number;
- 2. Rough opening;
- 3. Length;
- 4. Handing;
- 5. Finish (where applicable),




Glazing Cap, W4019

Weather Strip, Frame

V1707


Length	Color	PN
120"	Beige	11191299
120	Black	11191399



Weather Strip, Frame

V1732


Length	Color	PN
150"	Beige	11191499
130	Black	11191599



Offset Bulb Weather Strip, Parting Stop, Frame, Mull Casing, Transom and Astragal

V796


Color	PN
Beige	15170866
Black	15170867
Beige	15170090
Black	15170091
Beige	15170810
Black	15170811
Beige	15173298
Black	15173398
	Beige Black Beige Black Beige Black Beige Black Beige



Weather Strip, Frame

V1733


Length	Color	PN
151" Bei	Beige	11191699
131	Black	11191799



Sweep, Active and Inactive Panel

V2416


Length	Beige PN	Black PN
70 1/2"	11181870	11181871



Weather Strip, Panel Cover

V018


Length	Beige PN	Black PN
150"	11198799	11198999



Sweep, Stationary Panel

V2427


Length	Beige PN	Black PN
70 1/2"	11181798	11181799



Weather Strip, Inactive Panel

V1706


Length	Beige PN	Black PN
121"	15618199	15618299



Weather Strip, Sill

V1659

Length	Beige PN	Black PN
35 17/64"	11197030	11197130
41 17/64"	11197036	N/A
70 29/64"	11197060	11197160
82 29/64"	11197070	11197170
150"	11197099	11197199



Dust Block, Part Stop

1 3/8" x 3/8" x 1/2"

Color	PN
Gray	15600010
Beige	15600011



Weather Strip, Stile

V020

Length	Beige PN	Black PN
79 9/16"	11197968	N/A
92 15/16"	11197982	N/A
150"	11197999	11197998



Dust Block, Astragal or Panel

1 3/8" x 1/4" x 1/2"

PN	
10500049	




Sweep, Stationary Panel

V1657

Usage dates:

Pre 6-03-2015

Length	Beige PN	Black PN
150"	11181399	11181499



NOTE: Weather strip is included with all panels (where applicable).

- 1. OM of panel (NOTE: OM of panel does not include astragal, mull casing or sweep);
- 2. Active, Inactive or Stationary;
 - a. Active comes prepped for multi-point mortise lock and standard Marvin handle set. If Marvin Architectural Hardware prep is needed, specify brand.
 - b. Inactive comes prepped for multi-point lock and standard Marvin handle-set. If Marvin Architectural Hardware prep is needed, specify brand.
 - c. Stationary specify configuration and astragal or mull casing (if applicable).
 - d. Panel style
- 3. Handing;
- 4. Glazing;
- 5. Finish;
- 6. Glazing bead profile
 - a. bevel
 - b. square.
 - Active panels include panel sweep and multi-point mortise lock system.
 - Inactive panels include sweep, astragal, and multi-point lock system.
 - Stationary 1 wide panels include panel sweep.

