

Replacement Parts

Specifications and technical data are subject to change without notice.

Numbers listed in () parentheses are metric equivalents in millimeters rounded to the nearest whole number.

Suggested fasteners are not included and must be ordered separately.

Illustrations are not to scale.

Contents

Vivid Usage in OMS Retail.....	2
Installation Accessories.....	3
Mull Kits.....	5
Installation Kits.....	8
Fiberglass Reinforced Composite Parts - Configured Parts in OMS.....	9
Miscellaneous Parts	10
Aluminum Parts - Configured Parts in OMS	11
Aluminum Parts	12
Vinyl Parts - Configured Parts in OMS.....	13
Vinyl Parts.....	14
Weather Strip - Configured Parts in OMS.....	17
Weather Strip.....	18
Wood Parts - Configured Parts in OMS	19
Wood Parts.....	20
Exterior Casing and Parts.....	21
Fasteners.....	26
Repair Items.....	27
Screen Accessories	28

Due to shared components, Vivid door parts are listed in OMS under the Vivid product line and Infinity doors in the product dropdown list.

All Parts

Use the fields below to find a part. Enter search values, then click Search.

Product Line:	Vivid	Product:	INFINITY BI-FOLD DOOR
Part Number:		Description:	INFINITY BI-FOLD DOOR
			INFINITY INSWING FRENCH DOOR
			INFINITY OUTSWING FRENCH DR
			INFINITY SLIDING FRENCH DOOR
			INFINITY SLIDING PATIO DOOR

The following parts match the search criteria you entered


Type Filter:

Structural Bracket

Casement, Awning, Direct Glaze Rectangle

NOTE: 6" Bracket used on Base Frame or 4 9/16" jamb,
10" Bracket used on 6 9/16" or 6 13/16" jamb


6" PN	10" PN	Fastener	PN
11860675	11860775	2- #7-16 x 1 1/2", Type AB-17, UC, Full Thread Screw	11800715



Structural Bracket

Sliding French Door, Sliding Patio Door


Length	PN
6" (152)	11860014
10" (254)	11860009



Sill Mull Bracket

Sliding French Door, Sliding Patio Door

PN
11862522




Nailing Fin Connector Gasket

*Outswing French Door, Inswing French Door
Sliding French Door, Sliding Patio Door*

Includes:

2 - Connector Gaskets

Color	PN
White	10500213



Foam Tape

3/32" x 1/2"


Length	PN
120" (3048)	11869120



Connecting Barb

V803

Length	Color	PN
96" (2438)	Beige	15812008
120" (3048)	Beige	158120



3 1/2" Galvanized Mull Tin


Outswing French Door

26 gauge

Includes:

2 - Mull tin
6 - #8 x 3/8" Phillips pan head screws

Length	PN
16" (406)	02070302



Mull Kits

NOTE: Refer to the Mull Kit Component list for details on what is included with each kit.

Horizontal Mull Kit				
Kit ID	Description	Kit PN	Stone White	Ebony
A	Outswing French Door to Direct Glaze	-	118300	118303
B	KD Frame Assembly Kit	11051701	-	-

Component ID List Doors		
Component	A	B
#8-18 x 5/8" Type A/Tek-2 Full Thread	10	
Jamb Filler Hole Plug	1	
General Door Installation Instructions		1
Outswing French Door Installation Instructions		1
#8-18 x 4" Pan Head Type AB, Full Thread		2
#8-18 x 1/2" Type AB, Full Thread		1 pack of 16
Corner Key, Interior		2
Corner Key, Exterior, Jamb to Header		2
CSL-302, Clear Sealant		1
#8 x 1 1/4" PH, BH, Coarse PB 2/3 Thread		5
Outswing French Door KD Assembly Instructions		1

MRF Mull Kits

Includes:

- 1 - Silicone Tube, CSL 343, Black
- 2 - MRF T-Slot Connector
- 1 - Mull Weather Strip, 1/2"
- 2 - End Plug, 1/2"
- 1 - Exterior Mull Cover, MRF
- 1 - Interior Mull Cover, MRF
- 1 - Interior Mull Carrier, MRF
- 1 - MRF 1/2" Header/RH Jamb
- 1 - MRF 1/2" Sill/LH Jamb
- 4 - Split Mull Gusset Plate
- 22 - #7-16 x 1/2" Type AB-17, UC, Full Thread Phillips Screws (11800715)
- 28 - #8-15 x 3/4" A Tek-2 Cross Recessed Flat Screws (118062)
- 28 (4 9/16) or 56 (6 9/16) - #7-19 x 5/8" AB-17 Cross Recessed Flat Screws (11800758)
- 1 - Instruction

Vertical or Horizontal MRF Mull Kit - 4 9/16 or shallower					
Length	Interior Color	Bronze Exterior PN	Ebony Exterior PN	Pebble Exterior PN	Stone White Exterior PN
120" (3048)	Ebony	18811160	18811260	18811360	18811460
	Stone White	18813160	18813260	18813360	18813460

Vertical or Horizontal MRF Mull Kit - 6 9/16 or deeper					
Length	Interior Color	Bronze Exterior PN	Ebony Exterior PN	Pebble Exterior PN	Stone White Exterior PN
120" (3048)	Ebony	18814160	18804260	18814360	18814460
	Stone White	18810160	18810260	18810360	18810460

Standard Mull Kits

Includes:

- 1 - Exterior Mull Cover
- 1 - Interior Mull Cover
- 4 - Mull Gusset Plate
- 1 - Mull Pin
- 1 - Interior Mull Carrier
- 1 - Foam Tape, 10 feet
- 22 - #7-16 x 1/2" Type AB-17, UC, Full Thread Phillips Screws (11800715)
- 1 - Instruction

Vertical or Horizontal Standard Mull Kit - 4 9/16 or shallower					
Length	Interior Color	Bronze Exterior PN	Ebony Exterior PN	Pebble Exterior PN	Stone White Exterior PN
120" (3048)	Ebony	18805160	18805260	18805360	18805460
	Stone White	18806160	18806260	18806360	18806460

Vertical or Horizontal Standard Mull Kit - 6 9/16 or deeper					
Length	Interior Color	Bronze Exterior PN	Ebony Exterior PN	Pebble Exterior PN	Stone White Exterior PN
120" (3048)	Ebony	18807160	18807260	18807360	18807460
	Stone White	18808160	18806260	18808360	18808460

General Installation Kit - OX/OOX/OXO

Sliding French Door, Sliding Patio Door

Includes:

- 2 - Dust block, screen
- 3 - #8 x 3" Phillips pan head screws - White or Black
- 2 - #8 x 3" Phillips pan head screws - Stainless Steel

Color	PN
White	118811
Black	118813




General Installation Kit - OXXO

Sliding French Door, Sliding Patio Door

Includes:


- 5 - Dust block, screen
- 4 - #8 x 3" Phillips pan head screws - White or Black
- 2 - #8 x 3" Phillips pan head screws - Stainless Steel
- 3 - #10 x 2 3/4" flat head masonry screws
- 5 - #8 x 2 1/2" Phillips flat head screws - White or Black
- 16 - #8 x 5/8" Phillips truss head screws - Beige or Black

Color	PN
White	118812
Black	118814




Ordering specifications for Configured Parts in OMS:

1. Product
2. Unit type
3. Component
4. Configured mull part
5. Length



MRF, 1/2" Header/RH Jamb, F4034
Casement, Awning, Direct Glaze Rectangle




MRF, 1/2" Sill/LH Jamb, F4033
Casement, Awning, Direct Glaze Rectangle

Mull Gusset Plate

Casement, Awning, Direct Glaze Rectangle


Length	PN	Suggested Fastener	PN
6 3/4" (171)	11803206	10 - #7-16 x 1/2", Type AB-17, UC, Full Thread Screw	11800715
10 3/4" (273)	11803210		



Split Mull Gusset Plate

Casement, Awning, Direct Glaze Rectangle


Length	PN	Suggested Fastener	PN
6 3/4" (171)	11804306	5 - #7-16 x 1/2", Type AB-17, UC, Full Thread Screw	11800715
10 3/4" (273)	11804310		



End Plug, 1/2"

Casement, Awning, Direct Glaze Rectangle


Color	PN
Black	11800386



Cross Plug, MRF

Casement, Awning, Direct Glaze Rectangle

PN
11803291




Ordering specifications for Configured Parts in OMS:

1. Product
2. Unit type
3. Component
4. Configured mull part
5. Length



MRF T-Slot Connector, A2741
Casement, Awning, Direct Glaze Rectangle




Mull Pin, Standard, A04082
Casement, Awning, Direct Glaze Rectangle

Aluminum Mulling Pin

Outswing French Door, Inswing French Door,
Sliding French Door, Sliding Patio Door

A330

Length	PN
81 1/2" (2070)	15344468
150" (3810)	11103250




Mull Pin, Standard

A04082

Casement, Awning, Direct Glaze Rectangle

Length	Color	PN
144" (3658)	White	11004082



MRF T-Slot Connector

A2741


Casement, Awning, Direct Glaze Rectangle

Length	PN
Lineal 144" (3048)	11103244




Ordering specifications for Configured Parts in OMS:


1. Unit type
2. Interior and exterior color
3. Application type (full frame or insert)
4. Unit size (call number, rough opening or frame size)
5. Location of cover (from exterior view)
 - a. Top
 - b. Sill
 - c. Left jamb
 - d. Right jamb




Exterior Mull Cover, MRF, V03512
Casement, Awning, Direct Glaze Rectangle




Interior Mull Cover, MRF, V03516
Casement, Awning, Direct Glaze Rectangle




Interior Mull Carrier, MRF, V03544
Casement, Awning, Direct Glaze Rectangle




Exterior Mull Cover, Standard, V03511
Casement, Awning, Direct Glaze Rectangle



Interior Mull Cover, Standard, V03514
Casement, Awning, Direct Glaze Rectangle



Interior Mull Carrier, Standard, V03543
Casement, Awning, Direct Glaze Rectangle




Nailing Fin, V03350
Casement, Awning, Direct Glaze Rectangle

Hinged Jamb Nailing Fin

Outswing French Door, Inswing French Door,
Sliding French Door, Sliding Patio Door

V104

Size	Color	PN
144" (3658)	Beige	16217399




Hinged Head Jamb Nailing Fin/Drip Cap

V119

NOTE: Drip cap is clear


Size	Color	PN
144" (3658)	Beige	16217199
192" (4877)	Beige	16217192



Keeper Shim

V2919

Color	PN
Black	15914511




Nailing Fin

V03350

Casement, Awning, Direct Glaze Rectangle

Length	PN
195" (4953)	16210195




Interior Mull Cover

V03514

Casement, Awning, Direct Glaze Rectangle

Length	Color	PN
144" (3658)	Ebony	20205161
	Stone White	20205162




Interior Mull Cover, MRF

V03516

Casement, Awning, Direct Glaze Rectangle

Length	Color	PN
144" (3658)	Ebony	20203162
	Stone White	20203161




Exterior Mull Cover

V03511

Casement, Awning, Direct Glaze Rectangle

Length	Color	PN
144" (3658)	Bronze	20105360
	Ebony	20105460
	Pebble	20105260
	Stone White	20105160




Exterior Mull Cover, MRF

V03512

Casement, Awning, Direct Glaze Rectangle

Length	Color	PN
144" (3658)	Bronze	20107360
	Ebony	20107460
	Pebble	20107260
	Stone White	20107160




Interior Mull Carrier

V03513

Casement, Awning, Direct Glaze Rectangle

Length	PN
144" (3658)	20204160




Interior Mull Carrier, MRF

V03515


Casement, Awning, Direct Glaze Rectangle

Length	PN
144" (3658)	20202160



Ordering specifications for Configured Parts in OMS:

1. Unit type
2. Interior and exterior color
3. Application type (full frame or insert)
4. Unit size (call number, rough opening or frame size)




Mull Weather Strip, 1/2", V2789
Casement, Awning, Direct Glaze Rectangle

Mull Weather Strip, 1/2"

V2789

Casement, Awning, Direct Glaze Rectangle


Length	PN
144" (3048)	17011844



Foam Frame Sealant


Casement, Awning, Direct Glaze Rectangle

Color	Length	PN
Black	100 ft	10500050



Ordering specifications for Configured Parts in OMS:

1. Product and Unit type
2. Handing
3. Component
4. Interior and exterior color
5. Application type (full frame or insert)
6. Unit size (call number, rough opening or frame size)
7. Jambs
8. Jamb extension color
9. Location
 - a. Top
 - b. Sill
 - c. Left jamb
 - d. Right jamb
 - e. Complete set



Jamb Extension, 4 9/16", W14503
Casement, Awning, Direct Glaze Rectangle



Jamb Extension, 6 9/16", W14504
Casement, Awning, Direct Glaze Rectangle




Jamb Extension, 6 13/16", W14505
Casement, Awning, Direct Glaze Rectangle

Jamb Extension, 4 9/16"

W14503

Casement, Awning, Direct Glaze Rectangle

Length	Color	PN
144" (3658)	Designer Black	39234444
	White	39234044



Jamb Extension, 6 9/16"

W14504

Casement, Awning, Direct Glaze Rectangle

Length	Color	PN
144" (3658)	Designer Black	39236644
	White	39236044




Jamb Extension, 6 13/16"

W14505


Casement, Awning, Direct Glaze Rectangle

Length	Color	PN
144" (3658)	Designer Black	39237744
	White	39237044







**BMC Flush
with Sill
Nosing**




**BMC Mitered
Casing Four
Sides**




**Flat Casing
Flush with Sill
Nosing**




**Flat Casing
Flush Casing
Four Sides**




**Flat Casing
Ranch Style
with Sill Nosing**




**Flat Casing Ranch Style
Casing Four Sides**



BMC Door



Flat Casing Door



Flat Casing Ranch Style Door


When ordering exterior casing cut to length kits, specify:

1. Product type
2. Call number, rough opening or frame size
3. Exterior color
4. Casing configuration


NOTE: See Architectural Detail manual Accessories or Customer Support for individual component ordering information. End Caps are included with Exterior Casing orders.

Parts in Kit	Type of Kit								
	BMC	BMC with Sill Nosing	Flat Casing	Flat Casing with Sill Nosing	Flat Casing Ranch Style	Flat Casing Ranch Style with Sill Nosing	BMC Door	Flat Casing Door	Flat Casing Ranch Style Door
	Quantity in Kit								
Corner Key	4	4	4	4	4	4	2	2	2
Reticulated Foam	2	2	2	2	2	2			
Sill Nosing Left Hand End Cap		1		1		1			
Sill Nosing Right Hand End Cap		1		1		1			
Flat Casing Left Hand End Cap			2	1	2	1		2	2
Flat Casing Right Hand End Cap			2	1	2	1		2	2
BMC Foam Plug							2		
Instruction	1	1	1	1	1	1	1	1	1
Screw Package (12)							1	1	1
Screw Package (20)	1	1	1	1	1	1			


Connecting Barb V2177 - Quantity needed per unit size						
Height - Inches (mm)	Width - Inches (mm)					
	0-35 (0-889)	+35 – 59 (+889 – 1499)	+59 – 83 (+1499 – 2108)	+83 – 107 (+2108 – 2718)	+107 – 131 (+2718 – 3327)	+131 – 155 (+3327 – 3937)
0 – 35 (0 – 889)	8	10	12	14	16	18
+35 – 59 (+889 – 1499)	10	12	14	16	18	20
+59 – 83 (+1499 – 2108)	12	14	16	18	20	22
+83 – 107 (+2108 – 2718)	14	16	18	20	22	24
+107 – 131 (+2718 – 3327)	16	18	20	22	24	26
+131 – 155 (+3327 – 3937)	18	20	22	24	26	28



2" Brick Mould Casing
F9105



3 1/2" Flat Casing
F9108




2" Sill Nosing
F9107

Description	Length	Color and Part Number			
		Stone White	Pebble	Bronze	Ebony
2" Brick Mould Casing, F9105	53" (1346)	7021053	7001053	7051053	7071053
	77" (1956)	7021077	7001077	7051077	7071077
	106" (2692)	7021106	7001106	7051106	7071106
	144" (3658)	7021144	7001144	7051144	7071144
	200" (5080)	7021200	7001200	7051200	7071200
3 1/2" Flat Casing, F9108	53" (1346)	7024153	7004053	7054053	7074053
	77" (1956)	7024177	7004077	7054077	7074077
	106" (2692)	7024106	7004106	7054106	7074106
	144" (3658)	7024144	7004144	7054144	7074144
	200" (5080)	7014200	7004200	7054200	7074200
2" Sill Nosing, F9107	53" (1346)	7023053	7003053	7053053	7073053
	77" (1956)	7023077	700377	7053077	7073077
	106" (2692)	7023106	7003106	7053106	7073106
	144" (3658)	7023144	7003144	7053144	7073144


Flat Casing End Cap

Color	LH PN	RH PN
Stone White	10501681	10501682
Pebble	10501683	10501684
Bronze	10501685	10501686
Ebony	10501691	10501692




Sill Nosing End Cap

Color	LH PN	RH PN
Stone White	10501601	10501602
Pebble	10501603	10501604
Bronze	10501605	10501606
Ebony	10501611	10501612




Corner Key

Color	PN
Natural	10501600



Plug, BMC


Color	PN
Natural	10500163



Connection Barb

V2177


Length	PN
6" (152)	16210006



Reticulated Foam

5/8" x 5/8" (16 x 16)

Length	Color	PN
1 1/2"	Charcoal	10500366



Assembly Screw

#7 x 3/4" Phillips pan head, full thread screws

Color	Pkg of 12 PN	Pkg of 20 PN
Stainless Steel	11806165	11806166




Installation Screws

Sliding French Door, Sliding Patio Door

Includes:

12 - #8 x 3" Phillips pan head screws


Color	PN
Stone White	11880829
Black	11886167



Touch Up Paint - Brush


.6 oz. bottle with applicator

Color	PN
Stone White	01530322
Pebble	01530323
Bronze	01530326
Ebony	01530330



Touch Up Paint - Aerosol

Size	Color	PN
12 oz	White Interior	05120117
12 oz	Stone White	11402000
12 oz	Pebble	02082750
12 oz	Bronze	01530335
12 oz	Ebony	01520173




Epoxy Putty

4 oz. tube

NOTE: For major repairs to Ultrex

PN
11410031



Nail Hole and Crack Repair


PN
02590910

No Image Available

Silicone Tube

Casement, Direct Glaze Rectangle CSL 343	
Color	PN
Black	11407058

Direct Glaze Rectangle Dow 995	
Color	PN
Black	11407064



Screen Cloth

Color	Size	PN
Charcoal	48" x 300' (1219mm x 91m)	11259248

