



Ultimate Sliding French Door G2

Replacement Parts

Specifications and technical data are subject to change without notice.

Numbers listed in () parentheses are metric equivalents in millimeters rounded to the nearest whole number.


Suggested fasteners are not included and must be ordered separately.

Illustrations are not to scale.


Contents

| | |
|--|----|
| Product History..... | 2 |
| Part Identification - Head Jamb and Sill Details | 3 |
| Part Identification - 1 and 2 Panel - Jamb Details | 4 |
| Part Identification - 3 and 4 Panel - Jamb Details | 5 |
| Part Identification - Transom..... | 6 |
| Part Identification - Transom Jamb..... | 7 |
| Panel Options..... | 8 |
| Harp Handle | 9 |
| Vertical Handle | 14 |
| Flush Pull..... | 17 |
| Handle Parts | 20 |
| Miscellaneous Parts | 21 |
| Miscellaneous Parts - Accessibility Sill | 30 |
| Lock Status Sensor Parts..... | 32 |
| Aluminum Parts | 33 |
| Vinyl Parts..... | 35 |
| Vinyl Parts - Fabricated | 36 |
| Wood Parts..... | 37 |
| Weather Strip | 38 |
| Sill Replacement - Configured Parts in OMS..... | 41 |
| Panel Replacement - Configured Parts in OMS | 42 |
| Screen Replacement - Configured Parts in OMS | 43 |
| Service Only Parts..... | 44 |


| Produced | Unit Type | Features and Changes |
|----------|-----------------------|--|
| 2024 | Ultimate Sliding Door | 02/26/2024: Introduced the Ultimate Sliding French Door G2. See Product Bulletin 907 for more information. 04/29/2024: Replacement Sills were made available in Configured Parts in OMS. 10/28/2024: Accessibility Sill became available. See Product Bulletin 938 for more information. |




Active/Inactive Head Jamb and Performance Sill Detail




Exterior Stationary Head Jamb and Performance Sill Detail




Interior Stationary Head Jamb (OXO) and Performance Sill Detail



Active/Inactive Accessibility Sill Detail



Exterior Stationary Accessibility Sill Detail




Interior Stationary (OXO) Accessibility Sill Detail

1. Head Jamb Nailing Fin, V119
2. Header Track, A03858
3. Weather Strip, V1194
4. Parting Stop, A3637
5. Sill Weather Strip, V03276
6. Sill Liner, A3727


7. Exterior Vinyl Jamb Cover, V3224
8. Header Parting Stop, W15342
9. Header Parting Stop Weather Strip, V3117
10. Roller Track Assembly, V03251
11. Stationary Block, Exterior Sill, A3638
12. Top Rail Weather Strip, V3241

13. Stationary Block, Interior Sill, A3757
14. Weather Strip, Accessibility Sill, V03406
15. Pile Weather Strip, Accessibility Sill, V03381
16. Weather Strip, Accessibility Sill, V03405
17. Kerf Filler, Accessibility Sill, V03427
18. Sill Liner, Accessibility Sill, A03955


NOTE: All parts are used on 1 3/4 panel (4 9/16) doors and 2 1/4" panel (6 9/16) doors unless otherwise noted.



O - 4 9/16" Jambs - 1 3/4" Panel




OX - 4 9/16" Jambs - 1 3/4" Panel




6 9/16" Jambs - 2 1/4" Panel

- | | |
|--|---|
| 1. Frame Weather Strip, V3200 | 8. Wedge Frame Spacer, V2421 |
| 2. Parting Stop, A3637 | 9. Interlock, V3086 |
| 3. Jamb Nailing Fin, V104 | 10. Interlock Weather Strip, Stationary Stile, V03419 |
| 4. Parting Stop, 4 9/16, W13541 | 11. Stile Weather Strip, V3243 |
| 5. Parting Stop Weather Strip, V3117 | 12. Exterior Vinyl Jamb Cover, V3224 |
| 6. Interior Meeting Stile Filler, W13393 | 13. Parting Stop, 6 9/16, W13543 |
| 7. Interlock, Operating Stile, V03255 | |


NOTE: All parts are used on 1 3/4 panel (4 9/16) doors and 2 1/4" panel (6 9/16) doors unless otherwise noted.




OOX - 4 9/16 Jamb - 1 3/4" Panel



OXO - 4 9/16" Jamb - 1 3/4" Panel




6 9/16" Jamb - 2 1/4" Panel



OXXO - LH - 4 9/16" Jamb - 1 3/4" Panel


- | | |
|---|-------------------------------|
| 1. Mull Cover, OOX/XOO, W13985 | 6. Mull Base, A3633 |
| 2. Astragal Base, W13639 | 7. Screen Stop, 4 9/16, A3644 |
| 3. Weather Strip, Astragal Base, V3208 | 8. Astragal Cover, A3634 |
| 4. Wedge Frame Spacer, V2421 | 9. Screen Stop, 6 9/16, A3645 |
| 5. Weather Strip. Astragal Panel, V3173 | |

NOTE: All parts are used on 1 3/4 panel (4 9/16) doors and 2 1/4" panel (6 9/16) doors unless otherwise noted.




6 9/16" Jamb

Head Jamb and Sill




Jamb

- | | |
|--|---|
| 1. Frame/Parting Stop Weather Strip, V3200 | 5. Interior Sill Filler, 1 3/4", W13565 |
| 2. Sash Retainer, 4 9/16" Jamb, V3122 | 6. Sash Retainer, 6 9/16" Jamb, V3141 |
| 3. Jamb/Head Jamb Parting Stop, A3637 | 7. Head Jamb Nailing Fin, V119 |
| 4. Sill Weather Strip, Transom, V3121 | 8. Jamb Nailing Fin, V104 |




Single Panel Transom Jamb




2 Panel Transom Jamb


1. Astragal Cover, A3634




3 Panel Transom Jamb



4 Panel Transom Jamb



Standard
Ogee Interior
Putty Exterior



Option
Square Interior
Putty Exterior


Harp Handle, Exterior, Keyed

Includes:

- 1 - Handle
- 1 - Top escutcheon with key cylinder and gasket
- 1 - Bottom escutcheon with gasket
- 2 - Binding posts (1)
- 1 - Keyed cylinder w/2 keys (2)
- 2 - Hex head screws (3)
- 2 - Button head screws (4)
- 1 - Key clip, Harp (5)
- 1 - Hex wrench

| Door Configuration for PN Usage | LH PN | RH PN |
|------------------------------------|-----------------|-----------------|
| | OX, OOX | XO, XOO |
| | OXO L OXXO L | OXO R OXXO R |

| Color | LH PN | RH PN |
|-----------------------|----------|----------|
| Oil Rubbed Bronze | 11871690 | 11871689 |
| Antique Brass | 11871692 | 11871691 |
| Polished Chrome | 11871694 | 11871693 |
| Satin Chrome | 11871696 | 11871695 |
| Brass PVD | 11871698 | 11871697 |
| Satin Nickel PVD | 11871700 | 11871699 |
| Oil Rubbed Bronze PVD | 11871702 | 11871701 |
| Satin Taupe | 11871704 | 11871703 |
| Dark Bronze | 11871706 | 11871705 |
| White | 11871708 | 11871707 |
| Matte Black | 11871710 | 11871709 |



LH shown


Harp Handle, Interior, Keyed

Includes:

- 1 - Handle
- 1 - Top escutcheon with thumb turn assembly
- 1 - Bottom escutcheon
- 2 - Phillips oval head screws (1)
- 2 - Hex head screws (2)
- 1 - Hex wrench
- 1 - Installation instruction

| Door Configuration for PN Usage | LH PN | RH PN |
|------------------------------------|----------------------------|-------|
| | XO, XOO OXO R OXXO R | |

| Color | LH PN | RH PN |
|-----------------------|----------|----------|
| Oil Rubbed Bronze | 11871646 | 11871645 |
| Antique Brass | 11871648 | 11871647 |
| Polished Chrome | 11871650 | 11871649 |
| Satin Chrome | 11871652 | 11871651 |
| Brass PVD | 11871654 | 11871653 |
| Satin Nickel PVD | 11871656 | 11871655 |
| Oil Rubbed Bronze PVD | 11871658 | 11871657 |
| Satin Taupe | 11871660 | 11871659 |
| Dark Bronze | 11871662 | 11871661 |
| White | 11871664 | 11871663 |
| Matte Black | 11871666 | 11871665 |



LH shown

Harp Handle, Exterior, Non-Keyed/Dummy


Includes:

- 1 - Handle
- 1 - Top escutcheon with gasket
- 1 - Bottom escutcheon with gasket
- 2 - Binding posts (1)
- 2 - Hex head screws (2)
- 1 - Hex wrench

| Door Configurations | |
|--|--|
| OX, OOX OXO L LH configurations use LH PN | XO, XOO OXO R RH configurations use RH PN |

| Door Configurations (Panel type determines PN usage) | |
|---|------------------------------|
| OXXO L | OXXO R |
| Active panels use LH PN | Active panels use RH PN |
| Inactive panels use RH PN | Inactive panels use LH PN |

| Color | LH PN | RH PN |
|-----------------------|----------|----------|
| Oil Rubbed Bronze | 11871668 | 11871667 |
| Antique Brass | 11871670 | 11871669 |
| Polished Chrome | 11871672 | 11871671 |
| Satin Chrome | 11871674 | 11871673 |
| Brass PVD | 11871676 | 11871675 |
| Satin Nickel PVD | 11871678 | 11871677 |
| Oil Rubbed Bronze PVD | 11871680 | 11871679 |
| Satin Taupe | 11871682 | 11871681 |
| Dark Bronze | 11871684 | 11871683 |
| White | 11871686 | 11871685 |
| Matte Black | 11871688 | 11871687 |



LH shown


Harp Handle, Interior, Non-Keyed

Includes:

- 1 - Handle
- 1 - Top escutcheon with thumb turn assembly
- 1 - Bottom escutcheon
- 2 - Phillips oval head screws (1)
- 2 - Hex head screws (2)
- 1 - Hex wrench
- 1 - Installation instruction

| Door Configuration for PN Usage | LH PN | RH PN |
|------------------------------------|-------|----------------------------|
| | | XO, XOO OXO R OXXO R |

| Color | LH PN | RH PN |
|-----------------------|----------|----------|
| Oil Rubbed Bronze | 11871602 | 11871601 |
| Antique Brass | 11871604 | 11871603 |
| Polished Chrome | 11871606 | 11871605 |
| Satin Chrome | 11871608 | 11871607 |
| Brass PVD | 11871610 | 11871609 |
| Satin Nickel PVD | 11871612 | 11871611 |
| Oil Rubbed Bronze PVD | 11871614 | 11871613 |
| Satin Taupe | 11871616 | 11871615 |
| Dark Bronze | 11871618 | 11871617 |
| White | 11871620 | 11871619 |
| Matte Black | 11871622 | 11871621 |



LH shown


Harp Handle, Interior, Dummy

Includes:

- 1 - Handle
- 1 - Top escutcheon
- 1 - Bottom escutcheon
- 2 - Phillips oval head screw (1)
- 2 - Hex head screws (2)
- 1 - Hex wrench
- 1 - Installation instruction

| Door Configuration for PN Usage | LH PN | RH PN |
|------------------------------------|-------|--------|
| | | OXXO L |

| Color | LH PN | RH PN |
|-----------------------|----------|----------|
| Oil Rubbed Bronze | 11871624 | 11871623 |
| Antique Brass | 11871626 | 11871625 |
| Polished Chrome | 11871628 | 11871627 |
| Satin Chrome | 11871630 | 11871629 |
| Brass PVD | 11871632 | 11871631 |
| Satin Nickel PVD | 11871634 | 11871633 |
| Oil Rubbed Bronze PVD | 11871636 | 11871635 |
| Satin Taupe | 11871638 | 11871637 |
| Dark Bronze | 11871640 | 11871639 |
| White | 11871642 | 11871641 |
| Matte Black | 11871644 | 11871643 |




LH shown

Vertical Handle, Exterior, Keyed

Includes:

- 1 - Handle
- 1 - Top escutcheon with keyed cylinder and gasket
- 1 - Bottom escutcheon with gasket
- 2 - Binding posts (1)
- 2 - Button head screws (2)
- 2 - Hex head screws (3)
- 1 - Key clip, vertical handle (4)
- 1 - Top foam gasket (5)
- 1 - Bottom foam gasket (6)
- 1 - Keyed cylinder with keys (7)
- 1 - Hex wrench

| Color | PN |
|-----------------------|----------|
| Matte Black | 11871568 |
| Dark Bronze | 11871569 |
| Oil Rubbed Bronze PVD | 11871570 |
| Satin Nickel PVD | 11871571 |




Vertical Handle, Interior, Keyed

Includes:

- 1 - Handle
- 1 - Top escutcheon with thumb turn assembly
- 1 - Bottom escutcheon
- 2 - Phillips oval head screws (1)
- 2 - Hex head screws (2)
- 1 - Hex wrench
- 1 - Installation instruction

| Color | PN |
|-----------------------|----------|
| Matte Black | 11871572 |
| Dark Bronze | 11871573 |
| Oil Rubbed Bronze PVD | 11871574 |
| Satin Nickel PVD | 11871575 |




Vertical Handle, Interior, Non-Keyed

Includes:

- 1 - Handle
- 1 - Top escutcheon with thumb turn assembly
- 1 - Bottom escutcheon
- 2 - Phillips oval head screws (1)
- 2 - Hex head screws (2)
- 1 - Hex wrench
- 1 - Installation instruction

| Color | PN |
|-----------------------|---------------|
| Matte Black | 11871560 |
| Dark Bronze | 11871561 |
| Oil Rubbed Bronze PVD | 11871562 </td |
| Satin Nickel PVD | 11871563 |




Vertical Handle, Interior, Dummy

Includes:

- 1 - Handle
- 1 - Top escutcheon
- 1 - Bottom escutcheon
- 2 - Phillips oval head screws (1)
- 2 - Hex head screws (2)
- 1 - Hex wrench
- 1 - Installation instruction

| Color | PN |
|-----------------------|----------|
| Matte Black | 11871576 |
| Dark Bronze | 11871577 |
| Oil Rubbed Bronze PVD | 11871578 |
| Satin Nickel PVD | 11871579 |




Vertical Handle, Exterior, Non-Keyed/Dummy

Includes:

- 1 - Handle
- 1 - Top escutcheon
- 1 - Bottom escutcheon
- 2 - Binding posts (1)
- 2 - Hex head screws (2)
- 1 - Top foam gasket (3)
- 1 - Bottom foam gasket (4)
- 1 - Hex wrench

| Color | PN |
|-----------------------|----------|
| Matte Black | 11871564 |
| Dark Bronze | 11871565 |
| Oil Rubbed Bronze PVD | 11871566 |
| Satin Nickel PVD | 11871567 |




Flush Pull, Exterior

Includes:

- 1 - Handle
- 1 - Gasket

NOTE: Use with Interior Harp or Vertical Handle

| Color | PN |
|-----------------------|----------|
| Matte Black | 11871580 |
| Dark Bronze | 11871581 |
| Oil Rubbed Bronze PVD | 11871582 |
| Satin Nickel PVD | 11871583 |



Keyed Cylinder

(Schalge "C" keyway)

For service replacement only.

Includes:


2 - Keys

NOTE: For Keyed Alike orders, use program C87P2

Polished Chrome, White, Satin Nickel PVD, Matte Black use Chrome Face


Satin Taupe, Antique Brass, Satin Chrome, Oil Rubbed Bronze, Oil Rubbed Bronze PVD, Brass PVD, Dark Bronze use Brass Face

| Color | PN |
|-------------|----------|
| Brass Face | 10148223 |
| Chrome Face | 10833000 |




Top Foam Gasket, Harp Handle

| |
|----------|
| PN |
| 11869990 |




Bottom Foam Gasket, Harp Handle

| |
|----------|
| PN |
| 11869991 |




Key Clip, Harp Handle

| |
|----------|
| PN |
| 11871586 |




Top Foam Gasket, Vertical Handle

| |
|----------|
| PN |
| 11869992 |




Bottom Foam Gasket, Vertical Handle

| |
|----------|
| PN |
| 11869993 |




Key Clip, Vertical Handle

| |
|----------|
| PN |
| 11871587 |



Binding Post

| Color | PN |
|-----------------------|----------|
| Oil Rubbed Bronze | 10830523 |
| Antique Brass | 10830524 |
| Polished Chrome | 10830525 |
| Satin Chrome | 10830526 |
| Brass PVD | 10830527 |
| Satin Nickel PVD | 10830528 |
| Oil Rubbed Bronze PVD | 10830529 |
| Satin Taupe | 10830530 |
| Dark Bronze | 10830531 |
| White | 10830532 |
| Matte Black | 10830533 |




#10-32 x 1 3/4" Oval Head Screw

| Color | PN |
|-----------------------|----------|
| Oil Rubbed Bronze | 11800582 |
| Antique Brass | 11800583 |
| Polished Chrome | 11800584 |
| Satin Chrome | 11800585 |
| Brass PVD | 11800586 |
| Satin Nickel PVD | 11800587 |
| Oil Rubbed Bronze PVD | 11800588 |
| Satin Taupe | 11800589 |
| Dark Bronze | 11800590 |
| White | 11800591 |
| Matte Black | 11800592 |




#10-32 x 7/16" Hex Head Screw

| PN |
|----------|
| 11800708 |




#8-32 x 1 1/32" Phillips Button Head Screw

| PN |
|----------|
| 10501993 |




Lock Box, 2pt, Wide Stile

| | |
|-----------|---|
| PN | Suggested Fasteners |
| 05700105 | 5 - #8-18 x 1 1/4" Phillips flat head screw, Type A/B |
| PN | 11808118 |




Frame Alignment Bolt

| | |
|-----------|---|
| PN | Suggested Fasteners |
| 10501932 | 2 - #8-15 x 3" Type A/TF, 2/3 thread screw |
| PN | 11800918 |




Keeper

| | |
|-----------|---|
| PN | Suggested Fasteners |
| 10501934 | 2 - #8-15 x 3" Type A/TF, 2/3 thread screw |
| PN | 11800918 |



Keeper Shim


| |
|-----------|
| PN |
| 10501937 |



Adjustable Roller

| |
|-----------|
| PN |
| 10501990 |


| | |
|--|----------|
| Suggested Fasteners | |
| 5 - #8-18 x 1" Phillips pan head screw, Type A | |
| PN | 11805185 |



Roller Reinforcement Plate


| |
|-----------|
| PN |
| 10820005 |

| | |
|---|----------|
| Suggested Fasteners | |
| 3 - #8-18 x 1 1/4" Type AB 2/3 thread screw | |
| PN | 11808118 |



Roller Adjustment Guide


| |
|-----------|
| PN |
| 11871600 |



Meeting Stile Guide Assembly

| |
|-----------|
| PN |
| 11863269 |


| | |
|---|----------|
| Suggested Fasteners | |
| 1 - #8-18 x 5/8" Type A/AB, full thread screw | |
| PN | 11806154 |



Hex Key/Allen Wrench 6 1/2"

NOTE: Used with the Roller Adjustment Guide


| |
|-----------|
| PN |
| 10501939 |



Top Rail Guide Block

| |
|-----------|
| PN |
| 11869673 |


| | |
|--|----------|
| Suggested Fasteners | |
| 5 - #7-16 x 2" Type A/TF, 2/3 thread screw | |
| PN | 11800731 |



Sliding Stile End Plate, OXXO, 4 3/4"

| PN |
|----------|
| 02101709 |


| Suggested Fasteners | |
|---|----------|
| 1 - #8-18 x 1 1/4" Phillips flat head screw, Type A/B | |
| PN | 11808118 |



Panel Alignment Bolt

| Color | PN |
|-------|----------|
| Black | 11102456 |


| Suggested Fasteners | |
|---|----------|
| 2 - #8-18 x 1 1/2", Type A/AB, full thread screw | |
| PN | 11865178 |



Panel to Sill Bracket

| LH PN | RH PN |
|----------|----------|
| 11841025 | 11841024 |

| Suggested Fasteners | |
|---|----------|
| 5 - #8-18 x 1/2" Torx, full thread, pan head screw | |
| Color | PN |
| Ebony | 11800224 |




LH shown

Panel Alignment Receiver

| Color | PN |
|-------|----------|
| Black | 11869887 |

| Suggested Fasteners | |
|--|----------|
| 2 - #8 x 1 1/2" Type A/AB full thread screw | |
| Color | PN |
| Matte Black | 11865178 |




Sill Bracket, Stationary

Used on 1 3/4" panels

| PN |
|----------|
| 11841023 |

| Suggested Fasteners | |
|--|----------|
| 2 - #8-15 x 3" Type A/TF, Phillips, 2/3 thread screw | |
| Color | PN |
| Stainless Steel | 11800903 |




Sill Bracket, Stationary

Used on 2 1/4" panels

| PN |
|----------|
| 11841022 |

| Suggested Fasteners | |
|--|----------|
| 2 - #8-15 x 3" Type A/TF, Phillips, 2/3 thread screw | |
| Color | PN |
| Stainless Steel | 11800903 |




Header Bracket, Stationary

Used on 1 3/4" panels

| PN |
|----------|
| 11841129 |

| Suggested Fasteners | |
|--|----------|
| 3 - #10-16 x 7/8" full thread undercut screw | |
| Color | PN |
| Stainless Steel | 11800284 |




Header Bracket, Stationary

Used on 2 1/4" panels


| PN |
|----------|
| 11841128 |

| Suggested Fasteners | |
|--|----------|
| 3 - #10-16 x 7/8" full thread undercut screw | |
| Color | PN |
| Stainless Steel | 11800284 |



Stationary Bracket Reinforcement, 4 3/4"


| PN |
|----------|
| 10502071 |



Sill Reinforcement, OXXO


| Color | PN |
|-------|----------|
| Black | 10899025 |

| Suggested Fasteners | |
|--|----------|
| 1 - #8-15 x 3" Type A/TF, Phillips, 2/3 thread screw | |
| Color | PN |
| Matte Black | 11800918 |



Head or Foot Flush Bolt Assembly, Inactive Panel

| Color | PN |
|-------|----------|
| Black | 11101780 |




Cover Plate for Flush Bolt

Includes:

- 1 - Cover plate
- 2 - #8 x 1" screws


| PN |
|----------|
| 11860402 |



Flush Bolt Adapter

| Color | PN |
|-------|----------|
| Black | 10840269 |


| Suggested Fasteners | |
|--|----------|
| 1 - #8-15 x 3" Type A/TF, Phillips, 2/3 thread screw | |
| Color | PN |
| Matte Black | 11800918 |



Stationary Bolt, Stile


| Color | PN |
|-------|----------|
| Black | 10899024 |

| Suggested Fasteners | |
|--|----------|
| 1 - #8-15 x 3" Type A/TF, Phillips, 2/3 thread screw | |
| Color | PN |
| Matte Black | 11800918 |



Shoot Bolt Assembly


| PN |
|----------|
| 11101740 |



Shoot Bolt Guide

| PN |
|----------|
| 11869674 |


| Suggested Fasteners | |
|--|----------|
| 3 - #10-16 x 7/8" full thread undercut screw | |
| Color | PN |
| Stainless Steel | 11800284 |



Stationary Panel Strap, OOX/XOO


| Color | PN |
|-------|----------|
| Black | 11844040 |

| Suggested Fasteners | |
|--|----------|
| 1 - #8-15 x 3", Type A/T 2/3 thread screw | |
| Color | PN |
| Stainless Steel | 11800903 |




Sill Bumper

| PN |
|----------|
| 16221109 |




Thumb Tack Bumper

| PN |
|----------|
| 02101006 |



Astragal End Cap


| Color | LH PN | RH PN |
|-------|----------|----------|
| Black | 11869941 | 11869940 |



RH shown

Astragal End Cap, IZ3

| Color | LH PN | RH PN |
|-------|----------|----------|
| Black | 10840271 | 10840270 |




RH shown

Sill Drain Assembly


| Color | PN |
|-------|----------|
| Ebony | 10840264 |

| Suggested Fasteners | |
|---|----------|
| 2 - #8-18 x 1/2" Torx, full thread, pan head screw | |
| Color | PN |
| Ebony | 11800224 |



Mull Post, Sill Reinforcement

| LH PN | RH PN |
|----------|----------|
| 10899019 | 10899020 |




LH shown

| Suggested Fasteners | |
|---|----------|
| 1 - #8 x 1 1/4" Type A, Phillips pan head screw | |
| Color | PN |
| Stainless Steel | 11800806 |

| Suggested Fasteners | |
|---|----------|
| 1 - #8-16 x 3/8" Type AB, Phillips pan head screw (into sill) | |
| Color | PN |
| Stainless Steel | 11800222 |

Mull Post, Header Reinforcement

| LH PN | RH PN |
|----------|----------|
| 10899021 | 10899022 |




RH shown

| Suggested Fasteners | |
|---|----------|
| 1 - #8 x 1 1/4" Type A, Phillips pan head screw | |
| Color | PN |
| Stainless Steel | 11800806 |

| Suggested Fasteners | |
|---|----------|
| 1 - #8-18 x 1 7/8" Type AB, Phillips pan head screw (into header) | |
| Color | PN |
| Stainless Steel | 02058017 |


Pad, Head Jamb Parting Stop

| Color | PN |
|-------|----------|
| Black | 11102149 |




Lower Jamb Pad

| PN |
|----------|
| 10501024 |



Sill Fuzzy


| LH PN | RH PN |
|----------|----------|
| 10501146 | 10501145 |



RH shown


Gasket, Sill to Jamb Stop

| PN |
|----------|
| 11866265 |




Dust Block, Astragal End

| PN |
|----------|
| 10500573 |




Parting Stop Fuzzy

| PN |
|----------|
| 10501147 |



Mull Post Accessibility, Sill Reinforcement

| LH PN | RH PN |
|----------|----------|
| 11869939 | 11869938 |




LH shown

| Suggested Fasteners | |
|---|----------|
| 1 - #8 x 1 1/4" Type A, Phillips pan head screw | |
| Color | PN |
| Stainless Steel | 11800806 |

| Suggested Fasteners | |
|--|----------|
| 1 - #8-16 x 3/8" TRHF, Phillips, flat head screw (into sill) | |
| Color | PN |
| Stainless Steel | 11800222 |

Stile End Plug, 4 3/4", Accessibility Sill


| LH PN | RH PN |
|----------|----------|
| 11869946 | 11869947 |



RH shown

Shoot Bolt Sub Assembly, Accessibility Sill

| Description | Length | PN |
|--------------------|-----------------|----------|
| Flush Bolt | 8 25/32" (223) | 10501948 |
| Bottom Multi-Point | 33 13/32" (849) | 10501995 |




Sill Bracket, Exterior Panel, Accessibility Sill

Used on 1 3/4" panels only

| PN |
|----------|
| 11100216 |


| Suggested Fasteners | |
|--|----------|
| 2 - #8-18 x 1/2" Torx, full thread, pan head screw | |
| Color | PN |
| Ebony | 11800224 |



Interlock Sill Bump, Accessibility Sill

| PN |
|----------|
| 11869698 |


| Suggested Fasteners | |
|--|----------|
| 3 - #8-18 x 1/2" Torx, full thread, pan head screw | |
| Color | PN |
| Ebony | 11800224 |



Shoot Bolt Guide, OXXO, Accessibility Sill

| Color | LH PN | RH PN |
|-------|----------|----------|
| Black | 10501998 | 10501997 |


| Suggested Fasteners | |
|---|----------|
| 2 - #8-18 x 1 1/4" , Type AB, Phillips, flat head screw | |
| Color | PN |
| Stainless Steel | 11808118 |



RH shown


Sill Key Fuzzy, Accessibility Sill

| PN |
|----------|
| 10501143 |




Sill Fuzzy, Accessibility Sill

| PN |
|----------|
| 10501141 |




Dust Block, OXXO, Accessibility Sill

| PN |
|----------|
| 10500398 |




Sill Gasket, Accessibility Sill

| PN |
|----------|
| 05700009 |




Tailpiece, Non-keyed, Button Switch

| Color | PN |
|-----------------|----------|
| Stainless Steel | 10501844 |




Micro Switch Assembly

| Color | PN |
|-------|----------|
| Black | 10501844 |



Cover, Transmitter


| Color | PN |
|-------------------------|----------|
| Brushed Stainless Steel | 10501821 |



Thin Loop and Hook

Used with Transmitter Cover


| PN |
|----------|
| 10501851 |



#8-18 x 1" Type AB, Full Thread

Used with Transmitter Cover
Need quantity of 2 for each part


| PN |
|----------|
| 11800769 |




Aluminum Parts

Ordering specifications (use all that apply):


1. Original order number/line number (if available)
2. Call number or rough opening
3. Profile
4. Length
5. Handing
6. Color/finish




A3637
Jamb/Head Jamb
Parting Stop




A3727
Sill Liner




A03955
Sill Liner, Accessibility Sill




A3553
Stationary Stile Edge Cover,
1 3/4 Panels




A3554
Stationary Stile Edge Cover,
2 1/4 Panels




A3634
Astragal Cover



A3635
Mull Post



A3633
Mull Base




A03858
Header Track

Stationary Block, Interior Sill

A3757

| Length | Panel Width | PN |
|--------------|--------------------|----------|
| 5 1/2" (140) | Under 18 1/2" | 18903807 |
| 9" (230) | 18 1/2" and larger | 18903806 |

| Suggested Fasteners | |
|--|----------|
| 3-6 - #8-18 x 1/2" Torx, full thread, pan head screw | |
| Color | PN |
| Ebony | 11800224 |




Stationary Block, Exterior Sill

A3638


| Length | Panel Width | PN |
|----------|--------------------|----------|
| 5" (127) | Under 18 1/2" | 18903809 |
| 9" (230) | 18 1/2" and larger | 18903808 |

| Suggested Fasteners | |
|--|----------|
| 5 - #8-18 x 1/2" Torx, full thread, pan head screw | |
| Color | PN |
| Ebony | 11800224 |




Ordering specifications (use all that apply):


1. Profile number;
2. call number or rough opening;
3. handing;
4. length;
5. finish.




A3644
Screen Mull Casing 4 9/16"



A3645
Screen Mull Casing 6 9/16"



A3646, Mull Casing Screen Extension
NOTE: Used on 6 9/16" Jambs



A3490, Mull Cap, Mull Casing Screen Extension
NOTE: Used on 6 9/16" Jambs


| Suggested Fasteners | Quantity | PN |
|--|-----------|----------|
| #8-18 x 7/16" TEK 2, Phillips pan head screw | Bag of 10 | 11800178 |

Exterior Vinyl Frame Cover

V3224

| Header | | |
|----------|------------------|----------|
| CN | Length | PN |
| 2-6/2-6R | 27 45/64" (704) | 16224242 |
| 3-0/3-0R | 33 45/64" (856) | 16224243 |
| 4-0/4-0R | 45 45/64" (1161) | 16224244 |


| Jamb | | |
|------|-------------------|----------|
| CN | Length | PN |
| 6-6R | 79 31/32" (2031) | 16224231 |
| 6-8 | 79 15/32" (2019) | 16224232 |
| 7-0 | 83 15/32" (2120) | 16224233 |
| 8-0 | 95 15/32" (2425) | 16224234 |
| 10-0 | 119 15/32" (3035) | 16224236 |



Interlock

V3086

| CN | Length | PN |
|------|-----------------|----------|
| 6-6R | 75 3/8" (1915) | 16222767 |
| 6-8 | 79 7/8" (2029) | 16222768 |
| 7-0 | 83 7/8" (2131) | 16222770 |
| 8-0 | 95 7/8" (2435) | 16222780 |
| 10-0 | 119 7/8" (3045) | 16222710 |




Roller Track Assembly

V03251

NOTE: Roller track includes tape.


| CN | Length | Operation | PN |
|------|------------------|-----------|----------|
| 2-6 | 53 1/2" (1359) | OX/XO/OXO | 15901726 |
| 3-0 | 65 1/2" (1664) | OX/XO/OXO | 15901730 |
| 30-R | 63 7/8" (1622) | OXXO | 15901731 |
| 4-0 | 89 1/2" (2273) | OX/XO/OXO | 15901740 |
| 4-0R | 87 7/8" (2232) | OXXO | 15901741 |
| 5-0 | 115 7/16" (2932) | OOX/XOO | 15901750 |



Interlock, Operator Stile, 4 3/4"

V03255


| CN | Length | PN |
|------|-----------------|----------|
| 6-6R | 75 3/8" (1915) | 16223267 |
| 6-8 | 79 7/8" (2029) | 16223268 |
| 7-0 | 83 7/8" (2131) | 16223270 |
| 8-0 | 95 7/8" (2435) | 16223280 |
| 10-0 | 119 7/8" (3045) | 16223210 |




Vinyl Parts

Ordering specifications (use all that apply):


1. Original order number/line number (if available)
2. Call number or rough opening
3. Profile
4. Length
5. Handing
6. Color/finish



**Reinforced Roller Track
Assembly**




**V03427
Kerf Filler, Accessibility Sill**



**V2421
Wedge Frame Spacer**
NOTE: Used as kerf filler on
active lock stiles.

Bumper, Header


| |
|----------|
| PN |
| 32967098 |




Ordering specifications (use all that apply):

1. Profile number;
2. call number or rough opening;
3. handing;
4. length;
5. finish.


NOTE: Replacement wood parts are supplied with connecting barb (where applicable).




W13542
Parting Stop,
Header




W13543
Parting Stop,
Jamb - 6 9/16"




W13541
Parting Stop,
Jamb - 4 9/16"




W13985
Mull Cover, OOX/XOO



W13639
Astragal Base



W13393
Meeting Stile Filler,
Interior




W13565
Interior Sill Filler, 1 3/4"
NOTE: Used on Transom

Parting Stop Weather Strip

V3117


| CN | Length | PN |
|--------|------------------|----------|
| 2-6 | 28 13/16" (732) | 16223426 |
| 3-0 | 34 13/16" (884) | 16223430 |
| 4-0 | 46 13/16" (1189) | 16223440 |
| 2-6R | 28 1/16" (711) | 16223427 |
| 3-0R | 34 1/16" (864) | 16223431 |
| 12-0 | 49 39/64" (1260) | 16223412 |
| Lineal | 168" (4267) | 16221499 |



Frame Weather Strip

V3200


| Color | Length | PN |
|-------|---------------------|----------|
| Black | Specify length (LF) | 16220010 |



Astragal Panel Weather Strip

V3173


| CN | Length | PN |
|------|------------------|----------|
| 6-8 | 79 5/64" (2009) | 16220968 |
| 7-0 | 83 5/64" (2110) | 16220970 |
| 8-0 | 95 5/64" (2415) | 16220980 |
| 10-0 | 119 5/16" (3025) | 16220910 |



Weather Strip, 1/2" Pile

V2493

| Length | Color | PN |
|----------|-------|----------|
| 6" (152) | Black | 11209997 |




Weather Strip, Foam Leaf

V1194

Used on Clad Head Jamb Parting Stop

| Length | Color | PN |
|---------------------|-------|----------|
| Specify Length (LF) | Black | 17003596 |




Astragal Base Weather Strip

V3208

NOTE: Part numbers shown below are for an OXO operation. OOX and OXXO usage will use the same part numbers, trimming in the field will be needed.


| CN | Length | PN |
|------|-------------------|----------|
| 6-6R | 75 27/32" (1926) | 16224066 |
| 6-8 | 78 11/32" (1990) | 16224068 |
| 7-0 | 82 11/32" (2066) | 16224070 |
| 8-0 | 94 11/32" (2396) | 16224080 |
| 9-0 | 106 11/32" (2701) | 16224090 |
| 10-0 | 118 11/32" (3006) | 16224010 |



Stile Weather Strip

V3243


| CN | Length | PN |
|------|------------------|----------|
| 6-8 | 79 47/64" (2025) | 16224668 |
| 8-0 | 95 47/64" (2432) | 16224680 |
| 10-0 | 120 7/64" (3051) | 16224696 |



Top Rail Weather Strip

V3241


| CN | Length | PN |
|------|-------------------|----------|
| 2-6 | 32 5/32" (817) | 16224526 |
| 3-0 | 38 5/32" (969) | 16224530 |
| 4-0 | 50 5/32" (1274) | 16224540 |
| 3-0R | 37 11/32" (949) | 16224532 |
| 4-0R | 49 11/32" (12530) | 16224542 |



Interlock Weather Strip, Stationary Stile

V03419


| CN | Length | PN |
|------|-----------------|----------|
| 6-6R | 75 3/8" (1915) | 16224866 |
| 6-8 | 77 7/8" (1978) | 16224868 |
| 7-0 | 81 7/8" (2080) | 16224870 |
| 8-0 | 93 7/8" (2385) | 16224880 |
| 10-0 | 117 7/8" (2994) | 16224810 |



Sill Weather Strip

V03276


| CN | Length | Operation | PN |
|--------|------------------|------------------------------|----------|
| 3-0 | 36 19/64" (922) | OX/OXXO Stat OXO Ext Stat | 16221536 |
| 4-0 | 48 19/64" (1227) | OX/OXXO Stat OXO Ext Stat | 16221548 |
| 3-0 | 24 19/64" (617) | OX/OOX Act | 16221534 |
| 4-0 | 46 19/64" (1176) | OX/OOX Act | 16221546 |
| 3-0 | 68 5/16" (1735) | OXXO Act | 16221568 |
| Lineal | 122" (3099) | -- | 16221522 |



Bottom Rail Weather Strip, Interior Panel, Accessibility Sill

V03406


| CN | Length | PN |
|-----|-----------------|----------|
| 3-0 | 36 9/16" (929) | 16225530 |
| 5-0 | 61 9/32" (1557) | 16225450 |



Bottom Rail Weather Strip, Exterior Panel, Accessibility Sill

V03405


| Length | PN |
|------------------|----------|
| 37 31/64" (952) | 16229530 |
| 61 31/64" (1562) | 16229550 |



Weather Strip Pull Back Jig

NOTE: Used to insert sill weather strip.


| CN | Length | PN |
|-----|------------|----------|
| NA | 8" (203) | 16220827 |
| 3-0 | 34" (864) | 16220831 |
| 5-0 | 58" (1473) | 16220850 |




Bottom Rail Pile Weather Strip Accessibility Sill

V03381


| CN | Length | PN |
|-----|-----------------|----------|
| 5-0 | 61 5/16" (1558) | 16224750 |




Refer to Configured Parts in OMS for sill replacement.




Performance Sill - 4 9/16"
F2055



Performance Sill - 6 9/16"
F2056



Accessibility Sill - 4 9/16"
F2057



Accessibility Sill - 6 9/16"
F2058



Refer to Configured Parts in OMS for panel replacement.

Refer to Configured Parts in OMS for full screen replacement.
Individual screen replacement parts are available in the Ultimate Screens G2 (Door Screens) section.

Replacement Panel Bracket Kits, Outswing

NOTE: Used on panels sitting to the exterior.


| Description | Description | PN |
|-------------|---|----------|
| 5 Piece Kit | 5 - Field service brackets, Outswing 10 - #8-18x1 1/2" Type A/AB, full thread screw 5 - #10-12 x 3", 2/3 thread screw 2 - Stationary panel alignment part 2 - #8-18x1" Type AB, full thread screw 1 - UOFD UIFD Stationary Panel Service Instruction | 11102263 |
| 7 Piece Kit | 7 - Field service brackets, Outswing 14 - #8-18x1 1/2" Type A/AB, full thread screw 7 - #10-12 x 3", 2/3 thread screw 2 - Stationary panel alignment part 2 - #8-18x1" Type AB, full thread screw 1 - UOFD UIFD Stationary Panel Service Instruction | 11102264 |



Replacement Panel Bracket Kits, Inswing

NOTE: Used on panels sitting to the interior.

| Description | Description | PN |
|-------------|--|----------|
| 5 Piece Kit | 5 - Field service brackets, Inswing 10 - #8-18x1 1/2" Type A/AB, full thread screw 5 - #10-12 x 3", 2/3 thread screw 1 - UOFD UIFD Stationary Panel Service Instruction | 11102261 |
| 7 Piece Kit | 7 - Field service brackets, Inswing 14 - #8-18x1 1/2" Type A/AB, full thread screw 7 - #10-12 x 3", 2/3 thread screw 1 - UOFD UIFD Stationary Panel Service Instruction | 11102262 |



Drill Jig, Interior Panel, Service Bracket

| PN |
|----------|
| 11101738 |

